POLICE

GENERAL MOTORS FLEET

2018

EXPRESS VAN CARGO

Shown with aftermarket equipment

About This Publication

This catalog is not updated during the model year and should not be used for ordering purposes. It is intended as a source of basic information. All illustrations and specifications in this literature are based on the latest product information available at the time of publication. General Motors reserves the right to make changes at any time without notice. For further details, consult your local dealer.

Care must be taken during customer installation of equipment and wiring to ensure that all holes drilled in the body are corrosion protected, properly sealed and that vehicle wiring harnesses, piping or other components have not been displaced or damaged. Aftermarket equipment installers must be mindful of applicable Federal Motor Vehicle Safety Standards. This information can be obtained directly from the National Highway Traffic Safety Administration.

Adding non-dealer accessories or making modifications to the vehicle can affect vehicle performance, aerodynamics, and overall top speed.

These vehicles are equipped with an air bag system. The air bag system in your police vehicle includes frontal driver and passenger air bags, front seat back side impact air bags, front knee air bags or knee bolsters and side curtain air bags. Customer installed equipment such as security barriers behind the front seats should not be mounted so that the barrier ends are within the side air bag deployment zones. The sensors and other components for the air bag system must not be relocated to accommodate the installation of customer furnished equipment; please refer to the service manual for sensor and other component locations. For information concerning instrument panel top pad mounted equipment and air bag system deployment zones, see the air bag information section in this catalog and the vehicle owners manual.

A note about vehicle alterations by independent suppliers: This catalog shows pictures of vehicles that have been altered or upfitted with equipment or components supplied to Chevrolet or its dealers by independent suppliers. Chevrolet is not responsible for the safety or quality of design features, materials or workmanship of any alterations by a supplier.

INDEX

- UPDATES FOR 2018 EXPRESS CARGO VAN
- STANDARD 1WT FEATURES
- COLORS & INTERIOR TRIM
- OPTIONAL EQUIPMENT
- POWERTRAIN / TRANSMISSION RATINGS / GCWR RATINGS / EMISSIONS
- SPECIFICATIONS
- ONSTAR®, 4G LTE Wi-Fi AND SATELLITE RADIO SERVICE PLANS
- AIRBAG DIMENSIONS
- AIRBAGS FAQ
- STABILITRAK
- WARRANTY

2018 EXPRESS CARGO VAN 1WT

Navigation Optional

Shown with aftermarket equipment, always use safety belts when seated

UPDATES FOR 2018

NEW FEATURES

- (LV1) 4.3L V6 SIDI engine
- (LC8) 6.0L V8 SFI gaseous engine
- (GD1) Kinetic Blue Metallic
- (G9K) Satin Steel Metallic (No longer available to order as of 11-20-17)
- (UFT) Side Blind Zone Alert
- (A8X) Cargo Package
- (WPD) Safety Package
- (ZL3) Enhanced Convenience Package
- (WP9) Communications Package
- (UE0) ONSTAR® Delete
- (M5U) 8-speed automatic transmission is now standard
- Hill Start Assist is now standard
- (UVC) Rear vision camera is now standard
- (86U) Wheatland Yellow changes SEO (9W3)
- (UE1) ONSTAR® is standard
- (VV4) ONSTAR® 4G LTE is standard
- ONSTAR® Basic Plan is standard
- (ZQ2) Convenience Package, changed name to Power Convenience Package
- (ZQ3) Convenience Package, changed name to Driver Convenience Package
- Dual composite headlights are now standard

DISCONTINUED

- (L20) Vortec 4.8L V8 SFI engine
- (GWX) Brownstone Metallic
- (GBV) Cyber Gray Metallic
- (D31) Mirror, inside rearview manual day/night
- SEO (MTM) Windshield, mirror mounting bracket
- SEO (5P9) Panel Trim, side and rear cargo doors

NOTE: This vehicle is not designed nor intended for use in high speed emergency vehicle operations.
Model G2500 Regular Wheelbase RWD (CG23405), Model G2500 Extended Wheelbase RWD (CG23705)
Model G3500 Regular Wheelbase RWD (CG33405), Model G3500 Extended Wheelbase RWD (CG33705)

	STANDARD INTERIOR FEATURES ON EXPRESS PRISONER VAN-1WT
AIR CONDITIONING	Single-zone, manual
ASSIST HANDLE	Driver and front passenger
AUDIO SYSTEM	AM/FM stereo with MP3 player, seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers. Not available with (U2K) SiriusXM Satellite Radio, (5BV) Upfitter electrical provisions or (WP9) Communications Package.
CARGO TIE DOWNS	Includes 6 D-ring attachments on cargo area floor. Not available with (5BV) Upfitter electrical provisions or (ZP6) 5-passenger Express Crew Van
CONSOLE	Engine cover with open storage bin
CONVENIENCE PACKAGE	Includes (A31) power windows and (AU3) power door locks.
CUP HOLDERS	Three on engine console cover
DEFOGGER	Side windows
DRIVE INFO. CENTER	Includes fuel range, average speed, oil life, tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
FLOOR COVERING	Full-length Black rubberized-vinyl. Not available with (RFM) rear floor covering delete or (5BV) Upfitter electrical provisions.
HEADLINER	Cloth over driver and passenger
LIGHTING	Interior with 4 dome lights, 1 overhead and 3 LED's on cross members in cargo area, includes defeat switch and door handle-activated switches.
MIRROR	Inside rearview, includes Rear Vision Camera display
ONSTAR®	ONSTAR® Basic Plan[3], ONSTAR® Guidance[4] and ONSTAR® 4G LTE with Wi-Fi See ONSTAR® section for Availability and Available Plans
POWER OUTLETS	Two auxiliary on engine console with cover 12-volt and 120-volt power outlet
RESTRAINT SYSTEM[1]	Airbags, frontal, driver and right front passenger, side curtain, seat-mounted thorax and knee bolsters, driver and right front passenger. Includes passenger-side airbag deactivation switch. Not available with (ZX1) driver only high-back bucket seat.
SEATS, FRONT	Front bucket with vinyl trim and outboard head restraints, includes inboard armrests. Requires (**W) interior trim. Includes (DAA) driver and front passenger vinyl visors.
SPEEDOMETER/CLUSTER	Analog with speedometer, odometer, trip odometer, fuel level, volt meter, engine temperature and oil pressure
THEFT DETERRENT	PASS-Key III with steering wheel steel sleeve column with theft-deterrent locking feature
TRIM PANELS	Hinged rear side doors and hinged rear doors. Not available with (5BV) Upfitter electrical provisions.
VISORS	Driver and front passenger, Cloth, Padded
WARNING TONES	Headlamp on and key-in-ignition

1. Always use safety belts and the correct child restraint for your child's age and size, even in vehicles equipped with airbags. Even in vehicles equipped with Passenger Sensing System, children are safer when properly secured in a rear seat in an appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal airbag. See your vehicle Owner Manual and child safety seat instructions for more information.
3. Does not include emergency or security services. Visit ONSTAR®.com for coverage map, details and system limitations
4. Visit ONSTAR®.com for coverage map, details and system limitations

	STANDARD EXTERIOR FEATURES ON EXPRESS PRISONER VAN-1WT
BUMPER, FRONT	Painted black (V37 Front and Rear Chrome Bumpers are Optional).
BUMPER, REAR	Painted black with step pad (V37 Front and Rear Chrome Bumpers are Optional).
DEFOGGER	Side windows
DOOR	Swing-out passenger-side, 60-40 split
DOOR LOCKS	Power
GLASS	Solar-Ray light-tinted, all windows.
GRILLE	Black composite with single rectangular halogen headlamps
HEADLAMPS	Dual halogen composite. Includes Day time running lamps. Altering headlamp assembly is not recommended, General Motors is not responsible for the effects of any modifications.
MIRRORS	Outside, rearview, manual, Black
REAR VISION CAMERA	Display integrated into rearview mirror.
TIRES	LT245/75R16E all-seasonal, blackwall, with full size spare tire (Spare tire located at rear underbody of vehicle).
TIRE PRESSURE MONITOR	Does not apply to spare tire
TRIM PANELS	Hinged rear side doors and hinged rear doors
WINDOWS	Power
WINDSHIELD WIPERS	Intermittent wet-arm with pulse washers
WHEELS	Steel, 16 inch x 6.5 inch, includes Gray center caps and steel spare

	STANDARD CHASSIS FEATURES ON EXPRESS PRISONER VAN-1WT
ALTERNATOR	105 amps. 150 amp is standard when (C69) rear air conditioning is ordered.
AXLE	3.42 Axle ratio
BATTERY	600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power.
BRAKES	4-wheel antilock, 4-wheel disc
ENGINE	4.3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp with 295 lb-ft of torque
EXHAUST	Aluminized stainless-steel muffler and tailpipe
FUEL TANK CAPACITY	31 gallon (117.3 liters)
HILL START ASSIST	This feature is designed to prevent the vehicle from rolling, either forward or rearward, during vehicle drive off.
MONITOR	Oil life
TRANSMISSION	8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.
TRANS. OIL COOLER	External, included and only available with (L20) Vortec 4.8L V8 SFI engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine. Deleted when (LWN) 2.8L Duramax Turbo Diesel engine is ordered
STABILITRAK	Traction assistance and vehicle stability enhancement system
STEERING	Power
SUSPENSION, FRONT	Independent with coil spring and stabilizer bar
SUSPENSION, REAR	Hypoid drive axle with multi-leaf springs
TOW/HAUL MODE	Tow/haul mode selector mounted on instrument panel
TRANSMISSION	8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.
WARRANTY	See warranty and maintenance section for information

AVAILABLE EXTERIOR COLORS Actual colors may vary

GAN	GPA	G9K	GBA	GAZ	G7C	GD1
Silver Ice Metallic	Graphite Metallic	†Satin Steel Metallic	*Black	Summit White	Red Hot	**Kinetic Blue Metallic

* Not available with B46 rear body-colored trim
** Additional Charge. Not available with (B46 rear body colored trim)
† No longer available to order as of 11-20-17

SEO PAINT AVAILABLE Actual colors may vary

COLOR DESCRIPTION	SEO CODE	WA#
Yellow	–	215D
Yellow	–	259L
Blue	–	451N
Yellow	–	478G
Dark Blue Metallic	–	722J
Yellow	–	5456
Green	–	7927
Silver Metallic	–	8867
Woodland Green	9V5	9015
Doeskin Tan	9V9	9403
Yellow	–	9414
Tangier Orange	9W4	9417
Inca Gold	–	7952
Dark Toreador Red	–	257C
Silver Birch Metallic	–	926L
Petro Blue	–	527Y
Wheatland Yellow	9W3	253A
Victory Red	–	9260
Blue	–	5665

Actual Color May Vary

NOTE:
- **SEO paint orders that contain less than five vehicles will be delayed until five unit minimum is received for batch production**
- **Exterior SEO solid paints are not available with (B46) Trim, rear body-colored halo.**
- **All extraneous body components formerly color-keyed to body color, will be flat Black.**

SEATS

	FRONT SEAT TYPE	SEAT CODE	SEAT TRIM	COLOR	COLOR CODE
Standard	Front bucket with vinyl trim and outboard head restraints, includes inboard armrests.	AR7	Vinyl	Medium Pewter Neutral	93W 52W

NOTE: For optional front seat and rear seat availability see Interior optional equipment pages.

OPTIONAL EQUIPMENT & FEATURES

INTERIOR

AJ3	**AIRBAG** - frontal, driver-side only (deletes passenger-side). Included and only available with (ZX1) driver-only high-back bucket seat. Not available with (ZX2) driver and front passenger high-back bucket seats. **NOTE: Passenger seat is removed when ordered. See the Owner's Manual for more information.**
C69	**AIR CONDITIONING, REAR** - Model CG23405 Requires (TR9) auxiliary lighting. Required with (5BV) Upfitter electrical provisions. Includes (C36) rear heater, (KG4) 150 amp alternator and (U80) digital compass. (KG4) 150 amp alternator can be upgraded to (KW5) 220 amp alternator . Model CG23705 Includes (C36) rear heater, (KG4) 150 amp alternator and (U80) digital compass. (KG4) 150 amp alternator can be upgraded to (KW5) 220 amp alternator. Required with (5BV) Upfitter electrical provisions. Included with (ZP6) Express Crew Van Package. Model CG33405 Requires (TR9) auxiliary lighting. Includes (C36) rear heater, (KG4) 150 amp alternator and (U80) digital compass. (KG4) 150 amp alternator can be upgraded to (KW5) 220 amp alternator. Model CG33705 Includes (C36) rear heater, (KG4) 150 amp alternator and (U80) digital compass. (KG4) 150 amp alternator can be upgraded to (KW5) 220 amp alternator. Included with (ZP6) Express Crew Van Package. .
R6G	**AIR CONDITIONING DELETE** - Not available with (LWN) 2.8L Duramax Turbo-Diesel engine, (C49) rear-window defogger, (DE5) outside heated, power-adjustable Black mirrors, (DEB) outside heated, power-adjustable Black mirrors with single pane glass.
UI8	**AUDIO SYSTEM** - Chevrolet MyLink radio with Navigation, 6.5" diagonal color touch-screen display, AM/FM stereo with CD player, includes Bluetooth streaming audio for music and select phones; Hands-Free smartphone integration with Pandora and Stitcher; voice-activated technology for radio and phone. Model CG23405 and CG23707 Requires (ZQ3) Driver Convenience Package, (NP5) leather-wrapped steering wheel and (W1Y) steering wheel controls. Includes (UBS) NavTraffic, (USR) USB port and (UPF) Bluetooth for phone. Not available with (U2K) SiriusXM Satellite Radio or (WP9) Communications Package. Model CG33405 and CG33705 Requires (ZQ3) Driver Convenience Package, (NP5) leather-wrapped steering wheel and (W1Y) steering wheel controls. Includes (UBS) NavTraffic, (USR) USB port and (UPF) Bluetooth for phone. Not available with (U2K) SiriusXM Satellite Radio. Includes UBS NavTraffic. Avoid congestion before you reach it by enhancing your vehicle's navigation or entertainment system with NavTraffic. With detailed information on traffic speed, accidents, construction, road closures and more, you will get to your destinationfaster and more easily than ever before. Included and only available with (UI8) Chevrolet MyLink radio with navigation. SiriusXM Satellite Radio and NavTraffic subscriptions are sold separately or as a package after trial period. If you decide to continue service after your trial, the subscription planyou choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change. NavTraffic available only in select markets. For more information, see www.siriusxm.com/navtraffic
US8	**AUDIO SYSTEM** - AM/FM stereo with CD/MP3 player, USB port, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), TheftLock, random select, auxiliary jack and 2 front door speakers. Included with (WP9) Communications Package. Required with (U2K) SiriusXM Satellite Radio. Not available with (R8J) Power Window delete.
U0H	**AUDIO SYSTEM** - AM/FM stereo with MP3 player and USB port, includes seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers. Not available with (U2K) SiriusXM Satellite Radio or (WP9) Communications Package.
UXZ	**AUDIO SYSTEM** - Radio provisions only. Includes alarm warning chimes, radio wiring harness, radio antenna and 2 front door speakers. Requires a Fleet or Government order type and (UE0) ONSTAR® Delete. Not available with (U2K) XM Satellite Radio or (Y3H) Paratransit Package.
UPF	**BLUETOOTH® FOR PHONE**[1] - Personal cell phone connectivity to vehicle audio system. Included with (WP9) Communications Package. Requires (NP5) leather-wrapped steering wheel, (W1Y) steering wheel controls and (ZQ3) Driver Convenience Package. Included with (UI8) Chevrolet MyLink radio with Navigation. NOTE: With (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port or (US8) AM/FM stereo with MP3 compatible CD player requires (UE1) ONSTAR® hardware (subscription to ONSTAR® services not required for operation). NOTE: With (UI8) Chevrolet MyLink radio with Navigation (UE1) ONSTAR® hardware is not required.
UJ1	**BRAKE WARNING INDICATOR** - Monitors brake system pressure, with loss of pressure an audible alarm (chime) and cluster telltale is lit. Not available with (5BV) Upfitter electrical provisions
VLW	**BULKHEAD DIVIDER WITH DOOR** - Not available with (ZP6) 5-passenger Express Crew Van Package, (VLP) Bulkhead divider, LPO or (R7T) commercial customer bin GM Business Choice Upfit.
VLP	**BULKHEAD DIVIDER** - DIVIDER Not available with (ZP6) 5-passenger Express Crew Van Package, (VLW) Bulkhead divider with door, LPO or (R7T) commercial customer bin GM Business Choice Upfit..
CGN	**CARGO LINER** - Spray-in
A8X	**CARGO PACKAGE** - Includes (L96) Vortec 6.0L V8 SFI engine, (CGN) Spray-in cargo liner and (P0G) 12 months of GM Commercial Link, Not available with (WP9) Communications Package, (WPD) Safety Package, (ZL3) Enhanced Convenience Package or (UE0) OnStar delete. Not available on CG33405 and CG33705 Models
WP9	**COMMUNICATIONS PACKAGE** - Includes (L96) Vortec 6.0L V8 SFI engine, (NP5) leather-wrapped steering wheel, (P0G) 12 months of GM Commercial Link, (U2K) SiriusXM Satellite Radio, (UPF) Bluetooth for phone, (US8) AM/FM stereo with MP3 compatible CD player, (W1Y) steering wheel controls and (ZQ3) Driver Convenience Package. Not available with (A8X) Cargo Package, (WPD) Safety Package, (ZL3) Enhanced Convenience Package or (UE0) OnStar delete. Not available on CG33405 and CG33705 Models
U80	**COMPASS** - 8-point digital located in the Driver Information Center, included and only available with (TR9) Auxiliary Lighting.
BA3	**CONSOLE** - Deluxe with swing-out storage bin. Included with (AS5) front bucket seats with custom cloth.

1. Requires a compatible mobile device, active ONSTAR® service and data plan. 4G LTE service available in select markets. Visit ONSTAR®.com for coverage map, details and system limitations.
2. E85 is 85% ethanol and 15% gasoline.

ZQ3	**DRIVER CONVENIENCE PACKAGE** - Tilt-Wheel and (K34) cruise control. Required with (5BV) Upfitter electrical provisions. Included with (WP9) Communications Package, (WPD) Safety Package, (ZL3) Enhanced Convenience Package
K34	**CRUISE CONTROL** - Requires (UF3) high idle switch or (ZQ3) Convenience Package. Included with (ZQ3) Convenience Package.
ZL3	**ENHANCED CONVENIENCE PACKAGE** - Includes (ATG) Remote Keyless Entry, (BTV) Remote vehicle starter system, (DE5) outside heated power-adjustable, Black, manual-folding mirrors, (L96) Vortec 6.0L V8 SFI engine, (P0G) 12 months of GM Commercial Link, (Z82) heavy-duty trailering equipment and (ZQ3) Driver Convenience Package. Not available with packages (A8X) Cargo Package, (WP9) Safety Package, (WPD) Communications Package or (UE0) OnStar delete. Not available on CG33405 and CG33705 Models
B31	**FLOOR COVERING** - Black rubberized-vinyl, front only (deletes rear covering behind front seat) Required with (5BV) Upfitter electrical provisions. Included with (RFM) Rear floor covering delete
RFM	**FLOOR COVERING DELETE** - Rear Floor covering.
C36	**HEATER, REAR AUXILIARY** - Included with (C69) rear air conditioning.
5A1	**HVAC PROVISIONS** - Rear A/C Control Head Kit with rear air conditioning control head, retainer and bezel. Designed for installation after upfit is completed. Shipped loose. Requires RPO (C69) rear air conditioning and RPO (C36) rear auxiliary heater. Not Available with RPO (PCH) Hotel Shuttle Package, (5BV) upfitter electrical provisions.
TR9	**LIGHTING** - Auxiliary lighting with reading and underhood lights. Model CG23405: Required with (5BV) Upfitter electrical. Includes (U80) 8-point digital compass. Model CG23705: Required with (5BV) Upfitter electrical. Includes (U80) 8-point digital compass. Included with (ZP6) 5-passenger Express Crew Van Package. Model CG33405: Includes (U80) 8-point digital compass. Model CG33705: Includes (U80) 8-point digital compass. Included with (ZP6) Express Crew Van Package.
UE0	**ONSTAR DELETE** - Standard Bluetooth functionality remains. Required with (UXZ) radio provisions. Requires a Fleet or Government Order Type or (UI8) Chevrolet MyLink radio with navigation on all order types.
UFA	**OUTSIDE TEMPERATURE DISPLAY** - DISPLAY Located in the Driver Information Center. Requires (V22) Grille and (V37) Chrome bumpers or (5BV) upfitter electrical provisions.
ATG	**REMOTE KEYLESS ENTRY** - 2 transmitters and remote panic button. Models CG23405 and CG23705: Included with (ZL3) Enhanced Convenience Package. Required with (BTV) remote vehicle starter system. Models CG33405 and CG33705: Required with (BTV) remote vehicle starter system.
RG1	**ROUTING GROMMET** - Front of instrument panel. Provides an area for putting wires thru the front of dash. Not available with RPO (9L7) 2-30 amp wire leads.
8N2	**SAFETY BELTS** - Orange belts, Orange, Provides high visibility front Orange safety belts in lieu of Dark Pewter. Requires (93G) Medium Pewter Custom Cloth or (93W) Custom Vinyl. Not available with SEO (5B2) Red safety belts.
5B2	**SAFETY BELTS** - Red belts, Provides high visibility front Red seat belts in lieu of Dark Pewter. Requires Medium Pewter RPO (93G) Custom Cloth or (93W) Custom Vinyl trim code. Not available with SEO (8N2) Orange safety belts.
WPD	**SAFETY PACKAGE** - Includes (L96) Vortec 6.0L V8 SFI engine, (DE5) outside heated power-adjustable, Black, manual-folding mirrors, (P0G) 12 months of GM Commercial Link, (UD7) Rear Park Assist, (UFT) Side Blind Zone Alert and (ZQ3) Driver Convenience Package, Not available with (A8X) Cargo Package, (WP9) Communications Package, (ZL3) Enhanced Convenience Package or (UE0) OnStar delete. Not available on CG33405 and CG33705 Models
AG1	**SEAT ADJUSTER** - Driver 6-way power. Requires (AS5) front bucket with Custom Cloth trim.
AG2	**SEAT ADJUSTER** - Front passenger 6-way power. Requires (AS5) front bucket seats with Custom Cloth trim and (AG1) 6-way power driver seat adjuster
AS5	**SEATS** - Front bucket with Custom Cloth trim, head restraints and inboard armrests. Model CG23405 and CG23705: Requires (**G) interior trim. Required with (5BV) Upfitter electrical provisions. Includes (BA3) console with swing-out storage bin. Model CG33405 and CG33705: Requires (**G) interior trim. Includes (BA3) console with swing-out storage bin
ZP6	**SEATING ARRANGEMENT** - 5-passenger, Express Crew Van Package. Model CG23405 and CG33405: Includes (ASF) airbags, (PNC) Door Trim Panel Package, (B38) full-length Black rubberized-vinyl floor covering, (ZW6) fixed full-body window package glass and (93W/93G) Medium Pewter interior. Not available with (RFM) rear floor covering delete, (VLP) Bulkhead divider, LPO, (VLW) Bulkhead divider with door, LPO or (5C6) cargo tie-downs. Model CG23705 and CG33705: Includes (ASF) airbags, (PNC) Door Trim Panel Package, (B38) full-length Black rubberized-vinyl floor covering, (ZW6) fixed full-body window package glass, (C69) rear air conditioning, (TR9) auxiliary lighting and (93W/93G) Medium Pewter interior. Not available with (RFM) rear floor covering delete, (VLP) Bulkhead divider, LPO, (VLW) Bulkhead divider with door, LPO or (5C6) cargo tie-downs.
ZX1	**SEATING ARRANGEMENT** - Driver-only high-back bucket, adjustable, includes head restraint and vinyl or cloth trim. Includes (AJ3) driver-side only frontal air bag. Deletes passenger-side air bags, seat and safety belt. Components cannot be added back later.
VLU	**SECURITY SCREEN PACKAGE** - Without rear window pop-out. Requires a (ZW*) fixed glass. Not available with (A18) rear cargo door windows swing-out glass
UFT	**SIDE BLIND ZONE ALERT** - Included with (WPD) Safety Packager. Requires (UD7) Rear Park Assist and (DE5) outside heated power adjustable mirrors.
DT4	**SMOKER'S PACKAGE** - Includes ash tray and lighter

9J6	**STEERING COLUMN** - Tilt Steering column without cruise control. Not available with RPO (ZQ3) Convenience Package, RPO (K34) cruse control, RPO (UF3) high idle switch.
NP5	**STEERING WHEEL** - Leather-wrapped. Model CG23405 and CG23705: Included with (WP9) Communications Package. Requires (ZQ3) Driver Convenience Package and (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port, (US8) AM/FM stereo with CD/MP3 player or (UI8) Chevrolet MyLink radio with Navigation. Model CG33405 and CG33705 Requires (ZQ3) Driver Convenience Package and (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port, (US8) AM/FM stereo with CD/MP3 player or (UI8) Chevrolet MyLink radio with Navigation
5L3	**TRIM PANEL** - Sides, side and rear cargo door. Base level passenger van interior panels and trim on the sides, side cargo doors and rear doors of a cargo van. Does not include rear headliner. Required and only available with (Y3H) Paratransit Package. Not available with (ASF) head curtain side impact air bags and (PPC) Trim panels, hinged rear side doors and hinged rear doors.
PNC	**TRIM PANEL DOOR PACKAGE** - Included with (ZP6) Express Crew Van 5-passenger seating arrangement. Requires (A19) swing-out rear side door window glass. Not available with (52G) or (52W) Neutral interior, (PPC) door trim panel package.
R6S	**TRIM PANEL (PPC) DELETE** - rear side and rear doors
DH6	**VISORS** - Driver and front passenger, padded with cloth trim and dual vanity mirrors, illuminated on passenger-side. Required with (5BV) Upfitter electrical provisions
DAA	**VISORS** - Driver and front passenger, vinyl in lieu of standard cloth. Model CG23405, CG23705 and CG33405: Included with (AR7) front bucket seats with vinyl trim and (Y3H) Paratransit Package. Model CG33705: Included with (AR7) front bucket seats with vinyl trim
R8J	**WINDOWS POWER** - Delete
DSB	**WINDOW SECURITY BAR DELETE** - Rear side door glass Model CG23405, CG23705 and CG33405 Included and only available with (ZP6) 5-passenger Express Crew Van Package. Model CG33705 Included and only available with (ZP6) 5-passenger Express Crew Van Package

EXTERIOR

G7K	**ANTENNA EQUIPMENT** - Includes additional antenna, cable and ground plate. Provides additional ability to relocate standard ONSTAR® antenna, cable length 25 ft. Ships loose. Requires (UE1) ONSTAR®.
VXW	**ASSIST STEPS -** Molded
8S3	**BACKUP ALARM 97 DECIBELS -** Rear frame mounted back-up alarm. Not available with (LWN) 2.8L Duramax Turbo-Diesel engine, RPO (ZR7) Chrome Appearance Package, RPO (UJ1) brake warning indicator or SEO (5BV) upfitter
V37	**BUMPERS** - Front and rear chrome with step pad (included with ZR7 Chrome Appearance Package)..
ZR7	**CHROME APPEARANCE PACKAGE** - Includes (V37) front and rear chrome bumpers with step-pad and (V22) chrome grille with dual composite halogen headlamps
C49	**DEFOGGER** - Rrear-window electric. Requires (A12) fixed rear doors window glass without (AJ1) Solar-Ray deep-tinted glass or (A18) rear cargo door windows swing-out glass with (AJ1) Solar-Ray deep-tinted glass. Not available with (R6G) air conditioning delete.
YA2	**DOOR** - Sliding passenger, side. Includes trim panel standard on sliding door only. Requires (AJ1) Solar-Ray deep tinted glass when ordered with (A19) Swing-out rear side door and rear door window.
ZW1	**GLASS, SWING-OUT REAR CARGO DOOR WINDOW** - Requires (ZW2) rear door glass. Requires (A19) swing-out rear side door window glass when ordered with (ZW3) rear doors and side cargo doors glass, (ZW4) rear doors, side cargo door and rear passenger side quarter fixed glass or (ZW6) full body window package glass.
ZW6	**GLASS, FIXED FULL-BODY WINDOW PACKAGE** - Model CG23405 and CG23705 Included with (ZP6) 5-passenger Express Crew Van Package. (ZP6) includes (A12) fixed rear doors window glass and (A13) fixed rear side door window glass. Upgradeable to (A12) fixed rear doors window glass and (A19) swing-out rear side door window glass or (A18) swing-out rear cargo door windows glass and (A19) swing-out rear side door window glass and only available with (A18) swing-out rear cargo door windows glass. Not available with (5BV) Upfitter electrical provisions. Model CG33405 Included with (ZP6) 5-passenger Express Crew Van Package. (ZP6) includes (A12) fixed rear doors window glass and (A13) fixed rear side door window glass.Upgradeable to (A12) fixed rear doors window glass and (A19) swing-out rear side door window glass or (A18) swing-out rear cargo door windows glass and (A19) swing-out rear side door window glass and only available with (A18) swing-out rear cargo door windows glass. Model CG33705 Included with (ZP6) 5-passenger Express Crew Van Package. (ZP6) includes (A12) fixed rear doors window glass and (A13) fixed rear side door window glass..
ZW3	**GLASS, FIXED REAR DOORS AND SIDE CARGO DOORS** - Model CG23405 and CG23705 Includes (A12) fixed rear doors window glass and (A13) fixed rear side door window glass. Upgradeable to (A12) fixed rear doors window glass and (A19) swing-out rear side door window glass or (A18) swing-out rear cargo door windows glass and (A19) swing-out rear side door window glass. Included with (PCH) Hotel Shuttle Package. Required with (5BV) Upfitter electrical provisions. Not available with (ZP6) 5-passenger Express Crew Van Package. Model CG33405 Includes (A12) fixed rear doors window glass and (A13) fixed rear side door window glass. Upgradeable to (A12) fixed rear doors window glass and (A19) swing-out rear side door window glass or (A18) swing-out rear cargo door windows glass and (A19) swing-out rear side door window glass. Included. Not available with (ZP6) 5-passenger Express Crew Van Package . Model CG33705 Includes (A12) fixed rear doors window glass and (A13) fixed rear side door window glass. Upgradeable to (A12) fixed rear doors window glass and (A19) swing-out rear side door window glass or (A18) swing-out rear cargo door windows glass and (A19) swing-out rear side door window glass. Not available with (ZP6) 5-passenger Express Crew Van Package.

ZW4	**GLASS, FIXED REAR DOORS, SIDE CARGO DOOR AND REAR PASSENGER-SIDE QUARTER** - Model CG23405 and CG23705 Includes (A12) fixed rear doors window glass and (A13) fixed rear side door window glass. Upgradeable to (A12) fixed rear doors window glass and (A19) swing-out rear side door window glass or (A18) swing-out rear cargo door windows glass and (A19) swing-out rear side door window glass. Not available with (ZP6) 5-passenger Express Crew Van Package, (5BV) Upfitter electrical provisions. Model CG 33405 Includes (A12) fixed rear doors window glass and (A13) fixed rear side door window glass. Upgradeable to (A12) fixed rear doors window glass and (A19) swing-out rear side door window glass or (A18) swing-out rear cargo door windows glass and (A19) swing-out rear side door window glass. Not available with (ZP6) 5-passenger Express Crew Van Package. Model CG33705 Includes (A12) fixed rear doors window glass and (A13) fixed rear side door window glass. Upgradeable to (A12) fixed rear doors window glass and (A19) swing-out rear side door window glass or (A18) swing-out rear cargo door windows glass and (A19) swing-out rear side door window glass. Not available with (ZP6) 5-passenger Express Crew Van Package.
ZW2	**GLASS, FIXED REAR DOORS** - CG237051 Includes (A12) fixed rear doors window glass and (A13) fixed rear side door window glass. Upgradeable to (A12) fixed rear doors window glass and (A19) swing-out rear side door window glass or (A18) swing-out rear cargo door windows glass and (A19) swing-out rear side door window glass. Not available with (ZP6) 5-passenger Express Crew Van Package, age, (5BV) Upfitter electrical provisions. Model CG33405 Includes (A12) fixed rear doors window glass and (A13) fixed rear side door window glass. Upgradeable to (A12) fixed rear doors window glass and (A19) swing-out rear side door window glass or (A18) swing-out rear cargo door windows glass and (A19) swing-out rear side door window glass. Not available with (ZP6) 5-passenger Express Crew Van Package,. Model CG33705 Includes (A12) fixed rear doors window glass and (A13) fixed rear side door window glass. Upgradeable to (A12) fixed rear doors window glass and (A19) swing-out rear side door window glass or (A18) swing-out rear cargo door windows glass and (A19) swing-out rear side door window glass. Not available with (ZP6) 5-passenger Express Crew Van Package.
AJ1	**GLASS, SOLAR-RAY DEEP-TINTED** - Deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass)
A12	**GLASS, FIXED REAR DOORS WINDOWS** - Included and only available when (ZW*) is ordered. Not available with (ZW1) fixed right side cargo door glass
A13	**GLASS, FIXED REAR DOORS WINDOWS** - Included and only available when (ZW*) is ordered. Not available with (ZW2) rear door glass.
A18	**GLASS, SWING-OUT REAR CARGO DOOR WINDOWS** - Requires (ZW2) rear doors fixed glass. Requires (A19) swing-out rear side door window glass when ordered with (ZW3) rear doors and side cargo doors fixed glass, (ZW4) rear doors, side cargo door and rear passenger side quarter fixed glass or (ZW6) full body window package fixed glass.
A19	**GLASS, SWING-OUT REAR SIDE DOOR AND REAR WINDOW** - Requires (AJ1) Solar-Ray deep-tinted glass when ordered with (YA2) sliding passenger-side door. Not available with (ZW2) Seating, Driver and Passenger, High-Back Bucket. If ordered with (A12) fixed rear doors window glass, (C49) window defogger is required.
U05	**HORN** - Dual-note high and low
5Z5	**HUBCAP DELETE** - Deletes gray center caps from standard wheels - Not available with RPO (P03) wheel trim chrome center cap.
5X8	**KEY** - Unique side cargo and rear door Unique key for side and rear cargo doors, separate from driver ignition and door key. 1 - Not available with RPO (5H1) key equipment.
5H1	**KEY EQUIPMENT** - Two additional keys for single key system. Provides two additional spare keys for a total of (4). (Keys will be cut but not programmed). **NOTE: programming of keys is at customer's expense. Programming keys is not a warranty expense. Not available with SEO (5X8) side cargo and rear door key.**
8X1	**LABEL** - Fasten safety belts "Fasten Safety Belts" reminder label on front driver and passenger door window glass
VK3	**LICENSE PLATE KIT** - Front (will be shipped to orders with ship-to states that require front license plate)
DEB	**MIRRORS** - Outside heated power-adjustable, Black, manual-folding with single pane glass. Not available with (R8J) power window delete.
DE5	**MIRRORS** - Outside heated power-adjustable, Black, manual-folding. Included with (WPD) Safety Package, (ZL3) Enhanced Convenience Package. Required with (UFT) Side Blind Zone Alert. Not available with (R8J) power window delete.
VXW	**MOLDED ASSIST STEPS** - Dealer Installed
5H3	**ORNAMENTATION** - Exterior Delete Deletes all exterior ornamentation on rear doors
UFA	**OUTSIDE TEMPERATURE DISPLAY** - Located in the Driver Information Center. Requires (ZR7) Chrome Appearance Package. Code Description.
TGK	**PAINT, SPECIAL** - Solid, one color All normally body colored non-sheet metal parts will be flat Black. Required with any SEO paint selection. Not available with RPO (B46) rear body-colored halo trim. May require extra lead time and GM will require 5 orders before sending to the plant.
9V9	**PAINT, SOLID, DOESKIN TAN** - All extraneous body components formerly color-keyed to body color, will be flat Black with SEO paint. Not available to order until January 2018. Requires SEO (TGK) solid special paint. Not available with RPO (B46) rear body-colored halo trim. May require extra lead time and GM will require 5 orders before sending to the plant.
9W3	**PAINT SOLID, WHEATLAND YELLOW** All extraneous body components formerly color-keyed to body color, will be flat Black with SEO paint. Requires SEO (TGK) solid special paint. Not available with RPO (B46) rear body-colored halo trim. May require extra lead time and GM will require 5 orders before sending to the plant.
9W4	**PAINT, SOLID, TANGIER ORANGE** - All extraneous body components formerly color-keyed to body color, will be flat Black with SEO paint. Not available to order until January 2018. Requires SEO (TGK) solid special paint. Not available with RPO (B46) rear body-colored halo trim. May require extra lead time and GM will require 5 orders before sending to the plant.

2. E85 is 85% ethanol and 15% gasoline.

9V5	**PAINT, SOLID, WOODLAND GREEN** - All extraneous body components formerly color-keyed to body color, will be flat Black with SEO paint Not available to order until January 2018. Requires SEO (TGK) solid special paint. Not available with RPO (B46) rear body-colored halo trim. May require extra lead time and GM will require 5 orders before sending to the plant.
8S3	**REAR BACKUP ALARM** - Rear frame mounted, 97 decibels. Not available with RPO (ZR7) Chrome Appearance Package, RPO (UJ1) brake warning indicator or SEO (5BV) upfitter electrical provisions.
UD7	**REAR PARK ASSIST** - Model CG23405 and CG23705 Included with (WPD) Safety Package. Required with (UFT) Side Blind Zone Alert. Not available with (UXZ) radio provisions only. Model CG33405 and CG33705 Required with (UFT) Side Blind Zone Alert. Not available with (UXZ) radio provisions only.
VLL	**REMOVABLE ROOF RACK** - Not available with (VLV) Swing out ladder rack LPO.
VLV	**REMOVABLE SWING OUT LADDER RACK** - Not available with (VLL) Removable roof rack LPO.
BTV	**REMOVTE VEHICLE STARTER SYSTEM** - Model CG23405 and CG23705 Included with (ZL3) Enhanced Convenience Package. Requires (ATG) remote keyless entry. Model CG33405 and CG33705 - Requires (ATG) remote keyless entry
5H6	**SAFETY REFLECTOR TRIANGLE KIT** - Provides a break-down warning kit consisting of 3 reflective triangles, Item shipped loose for later placement and securing in after-market installation
VLU	**SECURITY SCREEN PACKAGE, WITHOUT REAR WINDOW POP-OUT** - Requires a (ZW*) fixed glass. Not available with (A18) rear cargo door windows swing-out glass
ZX9	**TIRE, SPARE DELETE** - Jack is not included.
Q8C	**TIRE VALVE STEM CAPS** - Air thru Air through valve caps on the tire air valves
B46	**TRIM** - Rear body-colored halo (replaces standard Black panel located above rear cargo doors). Not available with (GBA) Black or (G7C) Red Hot, (GPA) Graphite Metallic, (86U) Wheatland Yellow or (TGK) SEO solid paint. These colors will receive a Black halo.
4OP	**WHEEL FINISH, PAINTED WHITE** - White-painted wheels in lieu of standard Gray-painted wheels (includes spare wheel) Not available with option 5GO
5G0	**WHEEL FINISH, PAINTED BLACK** - Wheels painted Black in lieu of standard Gray painted wheels Includes painting of spare wheel. Not available with RPO (P03) wheel trim chrome center cap
P03	**WHEEL TRIM** - Chrome center cap
ASB	**WINDOW SECURITY BAR** - Rear side door glass. Included and only available with Glass window package (ZW3) rear doors and side cargo door glass, (ZW4) rear doors, side cargo door and rear passenger-side quarter fixed glass or SEO (ZW1) side cargo door glass.
DSB	**WINDOW SECURITY BAR DELETE** - Rear side door glass Model CG23405, CG23705 and CG33405 Included and only available with (ZP6) 5-passenger Express Crew Van Package. Model CG33705 Included and only available with (ZP6) 5-passenger Express Crew Van Package

ELECTRICAL

5BV	**UPFITTER ELECTRICAL PROVISIONS** - 30 amp circuit at C-pillar. Requires, RPO (L96) Vortec 6.0L V8 SFI FlexFuel[1] engine or RPO (LC8) 6.0L V8 SFI gaseous engine, RPO (AS5) seat front bucket deluxe, RPO (B31) floor covering, RPO (C69) air conditioning rear, RPO (DH6) visor LH/RH pass illumination sunshade, RPO (KG4) alternator 150 amp or (KW5) alternator 220 amp, RPO (TR9) auxiliary lighting, RPO (U80) compass, RPO (ZX2) Seating, Driver and Passenger, High-Back Bucket, RPO (ZQ3) Driver Convenience Package, RPO (V22) chrome grille, RPO (V37) front and rear chrome bumpers with step-pad, RPO (ZW3) rear doors and side cargo door glass, (A18) swing-out rear cargo door windows glass, (A19) swing out rear side door window glass, (AJ1) Solar-Ray deep-tinted glass and (8E1) Fuel, additional 3-gallons. Not available with (YA2) Door passenger side sliding, (U0F) am/fm radio stereo w/mp3 player, SEO (5L3) side and rear cargo door panel trim, SEO (9J6) tilt-steering column, SEO (9D7) 75MPH road speed governor or SEO (8S3) back up alarm.
9L7	**WIRING JUNCTION BLOCK**, Equipment accessory, includes 2-30 amp circuits. Requires (KG4) alternator 150 amp or (KW5) alternator 220 amp and (TP2) dual 600 and 770 isolated batteries. (Not available with (RGI) front instrument panel routing grommet)

CHASSIS

KG4	**ALTERNATOR** - 150-amps - Requires C69 rear air conditioning.
KW5	**ALTERNATOR** - 220 amps
K08	**AUXILIARY HEAT GENERATOR** - Fuel-operated. Supplemental heat source to cooling system to improve heat output for HVAC and (C36) rear auxiliary heater when selected. Included with (V10) Cold Climate Package. Requires (LWN) 2.8L Duramax Turbo Diesel engine.
UA1	**BATTERY** - Heavy-duty 770 cold-cranking amps, maintenance-free with rundown protection and retained accessory power. Not available (TP2) 600 cold-cranking amps primary battery
TP2	**BATTERY** - 600 cold-cranking amps primary, isolated 2nd heavy-duty 770-cold-cranking maps, allows 2nd battery to be used when the vehicle is not running without affecting ability to start the vehicle. (Not available with (LWN) 2.8L Duramax Turbo Diesel engine)
UJ1	**BRAKE WANING INDICATOR** - Monitors brake system pressure, with loss of pressure an audible alarm (chime) and cluster telltale is lit.
V10	**COLD CLIMATE PACKAGE** - Includes (K05) engine block heater. Includes (K08) auxiliary heat generator when ordered with (LWN) 2.8L Duramax Turbo Diesel engine.
G80	**DIFFERENTIAL** - Heavy-duty locking rear

L96	**ENGINE** - Vortec 6.0L V8 SFI FlexFuel[1], 342 hp @ 5400 rpm, 373 lb-ft of torque @ 4400 rpm, Includes external engine oil cooler.
LWN	**ENGINE** - Duramax 2.8L Turbo Diesel, Direct Injection, 181hp @ 3400rpm and 369lb-ft of torque @ 2000rpm. Includes exhaust brake that activates tow-haul mode. . E85 is 85% ethanol and 15% gasoline.
LC8	**ENGINE** - 6.0L V8 SFI Gaseous CNG/LPG capable with hardened valves and valve seats. Capable of operating on both gasoline and CNG/LPG. E85 compatible prior to gaseous fuel conversion. Running on gasoline (341 hp [255 kW] @ 5400 rpm, 373 lb-ft of torque [503.6 N-m] @ 4400 rpm). Equipped with standard factory gasoline fuel system. Does not include gaseous fuel tank(s), lines, regulators, etc. Gaseous fuel system can be installed in by aftermarket upfitter. GM recommends use of our approved alternative fuel upfitter, PSI (Power Solutions International). Ship thru codes are available for the PSI CNG and LPG fuel systems. Emissions certified for gasoline usage only. Emissions certification (exhaust and evaporative), as well as safety and labeling standards for the CNG/LPG system is the responsibility of the gaseous fuel system manufacturer. Requires (MYD) 6-speed heavy-duty automatic transmission.
KO5	**ENGINE BLOCK HEATER** - Included with (V10) Cold Climate Package or requires (LWN) 2.8L Duramax Turbo Diesel engine.
5H5	**FIRE EXTINGUISHER** - 2.5 lb. Dry chemical BC rated. Item shipped loose for later placement and securing in after-market installation
R9Y	**FLEET FREE MAINTENANCE CREDIT** - This option code provides a credit in lieu of the free oil changes, tire rotations and inspections (2 maximum), during the first 24 months and 24,000 miles period for this ordered vehicle. The invoice will detail the applicable credit. The customer will be responsible for all oil change, tire rotations and inspections costs for this vehicle. Requires one of the following Fleet or Government order types: FBC, FBN, FCA, FCN, FLS, FNR, FRC or FGO. Not available with FDR order types
8E1	**FUEL, ADDITIONAL 3-GALLONS** - 3 gallons of fuel in addition to normal assembly plant fill
7T6	**FUEL FITTING**, For fuel line take-off. A fuel tank with a fuel take-off fitting that a body builder may utilize to attach an auxiliary engine fueling device. Requires (L20) Vortec 4.8L V8 SFI engine or (L96) Vortec 6.0L V8 SFI FlexFuel[1] engine.
9C2	**GOVERNOR** - Electronic speed sensor set to 65 MPH Electronic software to facilitate 65-MPH maximum road speed with gasoline engine Requires a Fleet order. Not available with (K34) cruise control.
9B9	**GOVERNOR**, Electronic speed sensor set to 70 MPH. Provides electronic software to limit maximum road speed to 70-MPH. Cruise control limited to 65 MPH. Requires a Fleet order type.
9D7	**GOVERNOR**, Electronic speed sensor set to 75 MPH. Provides electronic software to limit maximum road speed to 75-MPH. Cruise control limited to 70 MPH. Requires a Fleet order type. Not available with SEO (5BV) upfitter electrical provisions.
RT7	**GM BUSINESS CHOICE UPFIT** - Commercial customer bin. Requires (TBM) Ship-thru. Options will have an invoice note "Adrian Steel Upfit". Not available with (PRP) Express Access, Bid Assistance or Competitive Assistance Programs.
UF3	**HIGH IDLE SWITCH** - Requires (K34) cruise control. Not available with (LV1) 4.3L V6 SIDI engine.
PSR	**POWER STEERING RESERVOIR** With glass sight, for checking fluid level.
E48	**RADIATOR GRILLE COVER** - Requires (LWN) 2.8L Duramax Turbo Diesel engine. Ships loose in cab. Required on orders with "Ship To" locations within the following states: Alaska, Colorado, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New York, North Dakota, South Dakota, Vermont, Wisconsin and Wyoming.
5C4	**SPRINGS, FRONT** - High Rate Upgrade, Upfitter option. Provides computer selected high rate front springs based on the front weight of the vehicle. Intended for a upfit that requires higher center of gravity loads that are located at or near the front axle. Provides increased front spring capacity but will not change the front GVWR rating. (Replaces standard computer selected suspension). Requires models *G33405 or *G33705 and a shipment to an upfitter or body builder.
Z82	**TRAILERING EQUIPMENT** - Heavy-duty, 4-pin/7-pin sealed connector. Includes (UY7) trailering provisions, trailering wire harness only.
UY7	**TRAILERING WIRING PROVISIONS** - Trailering wire harness only. Included with (Z82) heavy-duty trailering equipment.

ONSTAR®, 4G LTE WITH Wi-Fi and SIRIUS XM RADIO AVAILABILITY

	Impala 1FL	Tahe 9C1	Tahoe SSV	Suburban 1FL	Suburban 3500HD	Silverado SSV	Cargo Van	Passenger Van
ONSTAR® SERVICE PLANS								
Basic Plan	S	S	S	S	S	O*	S	S
UE1	S	S	S	S	S	O	S	S
VV4	S	S	S	S	S	O	S	S
PQF	O	O	O	O	O	O	O	O
PQG	O	O	O	O	O	O	O	O
PQH	O	O	O	O	O	O	O	O
PQI	O	O	O	O	O	O	O	O
PQL	O	O	O	O	O	O	O	O
PQM	O	O	O	O	O	O	O	O
PQP	O	O	O	O	O	O	O	O
PQQ	O	O	O	O	O	O	O	O
PQT	O	O	O	O	O	O	O	O
PRD	O	O	O	O	O	O	O	O
PRE	O	O	O	O	O	O	O	O
PRF	O	O	O	O	O	O	O	O
UEO - ONSTAR® Delete	N/A	O	O	O	N/A	N/A	O	O
ONSTAR® 4G LTE WITH Wi-Fi SERVICE PLANS								
ROV	O	O	O	O	O	O	O	O
ROW	O	O	O	O	O	O	O	O
SIRIUS XM SATELLITE RADIO								
U2K	S	N/A	N/A	N/A	S	S	O	O
PR6	O	N/A	N/A	N/A	O	O	O	O
PR7	O	N/A	N/A	N/A	O	O	O	O
PR8	O	N/A	N/A	N/A	O	O	O	O
GM COMMERCIAL LINK								
P0G	O	O	O	O	O	O	O	O
P0H	O	O	O	O	O	O	O	O
P0I	O	O	O	O	O	O	O	O

*** Included when UE1 is ordered**

S = Standard
O = Optional
N/A = Not Available
Description of option codes attached or spinning the wheels with chains on will damage the vehicle.

ONSTAR® SERVICE PLANS

ONSTAR® BASIC PLAN FOR 5 YEARS
Includes limited vehicle mobile app features, Monthly Diagnostics Report and Dealer Maintenance Notification. Basic Plan available for 5 years from the date of vehicle delivery and is transferable. Does not include Emergency, Security or Navigation services.

UE1 - ONSTAR® GUIDANCE PLAN FOR 6 MONTHS
Includes Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-Turn Navigation, Advanced Diagnostics and more (trial excludes Hands-Free Calling minutes). Visit www.ONSTAR®.com for coverage map, details and system limitations. Services vary by model. ONSTAR® acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data.

VV4 - ONSTAR® 4G LTE
Available built-in Wi-Fi hotspot offers a fast and reliable Internet connection for up to 7 devices; includes data trial for 3 months or 3GB (whichever comes first). Requires (UE1) ONSTAR® Guidance plan. Available Wi-Fi requires compatible mobile device, active ONSTAR® service and data plan. Data plans provided by AT&T. Visit ONSTAR®.com for details and system limitations.

PQF - ONSTAR® 6 MONTHS OF ONSTAR® PROTECTION SERVICE
Provides 6 months of Protection service in addition to the 6 months of standard Guidance Plan trial service that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 12 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQI, PQL, PQM, PQP, PQQ, PQT, PRE and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQG, PQH or PRD.

PQG - ONSTAR® 18 MONTHS OF ONSTAR® PROTECTION SERVICE
Provides 18 months of Protection service in addition to the 6 months of standard Guidance Plan trial service that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 24 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQI, PQL, PQM, PQP, PQQ, PQT, PRE and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQF, PQH or PRD.

PQH - ONSTAR® 30 MONTHS OF ONSTAR® PROTECTION SERVICE
Provides 30 months of Protection service in addition to the 6 months of standard Guidance Plan trial service that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 36 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQI, PQL, PQM, PQP, PQQ, PQT, PRE and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQF, PQG or PRD.

PQI - ONSTAR® 6 MONTHS OF ONSTAR® SECURITY SERVICE
Provides 6 months of Security service in addition to the 6 months of standard Guidance Plan trial. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQP, PQQ, PQT service that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 12 months. PRD and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQL, PQM or PRE.

PQL - ONSTAR® 18 MONTHS OF ONSTAR® SECURITY SERVICE
Provides 18 months of Security service in addition to the 6 months of standard Guidance Plan trial service that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 24 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQP, PQQ, PQT, PRD and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQI, PQM or PRE.

PQM - ONSTAR® 30 MONTHS OF ONSTAR® SECURITY SERVICE
Provides 30 months of Security service in addition to the 6 months of standard Guidance Plan trial service that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 36 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQP, PQQ, PQT, PRD and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQI, PQL or PRE.

PQP - ONSTAR® ADDITIONAL 6 MONTHS OF ONSTAR® FLEET GUIDANCE SERVICE
Provides 6 months of Fleet Guidance service in addition to the 6 months of standard Guidance Plan trial service that is included in the price of the vehicle (plan excludes Hands-Free Calling minutes). Total service duration is 12 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQI, PQL, PQM, PRD and PRE. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQQ, PQT or PRF.

PQQ - ONSTAR® ADDITIONAL 18 MONTHS OF ONSTAR® FLEET GUIDANCE SERVICE
Provides 18 months of Fleet Guidance service in addition to the 6 months of standard Guidance Plan trial service that is included in the price of the vehicle (plan excludes Hands-Free Calling minutes). Total service duration is 24 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQI, PQL, PQM, PRD and PRE. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQP, PQT or PRF.

PQT - ONSTAR® ADDITIONAL 30 MONTHS OF ONSTAR® FLEET GUIDANCE SERVICE
Provides 30 months of Guidance service in addition to the 6 months of standard Guidance Plan trial service that is included in the price of the vehicle (plan excludes Hands-Free Calling minutes). Total service duration is 36 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQI, PQL, PQM, PRD and PRE. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQP, PQQ or PRF.

ONSTAR® SERVICE PLANS (CONTINUED)

PRD - ONSTAR® 42 MONTHS OF ONSTAR® PROTECTION SERVICE
Provides 42 months of Protection service in addition to the 6 months of standard Guidance plan trial service that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 48 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQI, PQL, PQM, PQP, PQQ, PQT, PRE and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQF, PQG or PQH.

PRE - ONSTAR® 42 MONTHS OF ONSTAR® SECURITY SERVICE
Provides 42 months of Security service in addition to the 6 months of standard Guidance plan trial service that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 48 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQP, PQQ, PQT, PRD and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQI, PQL or PQM.

PRF - ONSTAR® ADDITIONAL 42 MONTHS OF ONSTAR® FLEET GUIDANCE SERVICE
Provides 42 months of Guidance service in addition to the 6 months of standard Guidance plan trial service that is included in the price of the vehicle (trial and plan excludes Hands-Free Calling minutes). Total service duration is 48 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQI, PQL, PQM, PRD and PRE. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQP, PQQ or PQT.

UE0 - ONSTAR®, DELETE

Wi-Fi SERVICE PLANS

ROV - ONSTAR® WITH 4G LTE FOR FLEET (20GB/12 MONTHS)
Provides a built-in Wi-Fi hotspot to connect to the internet at 4G LTE speeds, includes AT&T 12GB data plan good for 12months. 1 - Requires (UE1) ONSTAR® and (VV4) ONSTAR® with 4G LTE and one of the following order types FLS, FNR, FRC, FBC, FGO or FEF. Not available with ROW. Visit www.ONSTAR®.com for vehicle availability, details and system limitations. Services and connectivity may vary by model and conditions. 4G LTE service available in select markets. 4G LTE performance based on industry averages and vehicle systems design. Some services require data plan.

ROW - ONSTAR® WITH 4G LTE FOR FLEET (36GB/24 MONTHS)
Provides a built-in Wi-Fi hotspot to connect to the internet at 4G LTE speeds, includes AT&T 24GB data plan good for 24 months. Requires (UE1) ONSTAR® and (VV4) ONSTAR® with 4G LTE and one of the following order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with ROV. Visit www.ONSTAR®.com for vehicle availability, details and system limitations. Services and connectivity may vary by model and conditions. 4G LTE service available in select markets. 4G LTE performance based on industry averages and vehicle systems design. Some services require data plan.

SIRIUS XM SATELLITE RADIO

U2K SIRIUSXM® SATELLITE RADIO IS STANDARD ON NEARLY ALL 2017 GM MODELS
Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM® has to offer, anywhere life takes you. Welcome to the world of SiriusXM.

IMPORTANT: The SiriusXM® Satellite Radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.

PR6 - SIRIUSXM® SATELLITE RADIO ADDITIONAL 9 MONTHS OF THE SIRIUSXM® ALL ACCESS PACKAGE
Includes 150 channels of commercial-free music plus every major sport and the biggest names in entertainment, news and comedy in vehicle plus 9 months of listening on the SiriusXM® app or online in addition to the 3 months of All Access trial service that is included in the price of the vehicle. Total service duration is 12 months. Non-Transferrable. Non-Refundable. Requires (U2K) SiriusXM® Satellite Radio and a Fleet or Government order type. Not available with FDR order types, PR7 or PR8. Not available in AK, HI, PR and VI.

PR7 - SIRIUSXM® SATELLITE RADIO ADDITIONAL 21 MONTHS OF THE SIRIUSXM® ALL ACCESS PACKAGE
Includes 150 channels of commercial-free music plus every major sport and the biggest names in entertainment, news and comedy in vehicle plus 21 months of listening on the SiriusXM® app or online in addition to the 3 months of All Access trial service that is included in the price of the vehicle. Total service duration is 24 months. Non-Transferrable. Non-Refundable. Requires (U2K) SiriusXM® Satellite Radio and a Fleet or Government order type. Not available with FDR order types, PR6 or PR8. Not available in AK, HI, PR and VI.

PR8 - SIRIUSXM® SATELLITE RADIO ADDITIONAL 33 MONTHS OF THE SIRIUSXM® ALL ACCESS PACKAGE
Includes 150 channels of commercial-free music plus every major sport and the biggest names in entertainment, news and comedy in vehicle plus 33 months of listening on the SiriusXM® app or online in addition to the 3 months of All Access trial service that is included in the price of the vehicle. Total service duration is 36 months. Non-Transferrable. Non-Refundable. Requires (U2K) SiriusXM® Satellite Radio and a Fleet or Government order type. Not available with FDR order types, PR6 or PR7. Not available in AK, HI, PR and VI.

GM COMMERCIAL LINK

P0G GM COMMERCIAL LINK 1 YEAR OF SERVICE - Includes 12 months of GM Commercial Link service. Provides access and reporting for key vehicle information such as speed, location and maintenance through website and mobile application. Eligible customers must sign up for an account at www.gmcommerciallink.com in order take advantage of this 12 month offer. The Commercial Link service is included in the price of the vehicle. Total service duration is 12 months. Non-Transferrable. Non-Refundable. Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with (P0H) GM Commercial Link – 2 years of Service or (P0I) GM Commercial Link – 3 years of Service.

P0H GM COMMERCIAL LINK 2 YEARS OF SERVICE - Includes 24 months of GM Commercial Link service. Provides access and reporting for key vehicle information such as speed, location and maintenance through website and mobile application. Eligible customers must sign up for an account at www.gmcommerciallink.com in order take advantage of this 24 month offer. The Commercial Link service is included in the price of the vehicle. Total service duration is 24 months. Non-Transferrable. Non-Refundable. Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with (P0G) GM Commercial Link – 1 year of Service or (P0I) GM Commercial Link – 3 years of Service.

P0I GM COMMERCIAL LINK 3 YEARS OF SERVICE - Includes 36 months of GM Commercial Link service. Provides access and reporting for key vehicle information such as speed, location and maintenance through website and mobile application. Eligible customers must sign up for an account at www.gmcommerciallink.com in order take advantage of this 36 month offer. The Commercial Link service is included in the price of the vehicle. Total service duration is 36 months. Non-Transferrable. Non-Refundable. Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with (P0G) GM Commercial Link – 1 year of Service or (P0H) GM Commercial Link – 2 years of Service.

POWERTRAIN

ENGINE					TRANSMISSION		AXLE	
MODEL	CODE	TYPE	DISPLACEMENT LITERS/CU. IN.	FUEL SYSTEM	STANDARD	TYPE	OPTION CODE	RATIO
1LS/1LT Standard	LV1	V6	4.3/262	DI	Automatic MXO/MYD	Automatic 8-speed	GU6	3.42
1LS/1LT Optional	L96 Vortec	V8	6.0/366	SFI FlexFuel[1]	Automatic MXO/MYD	Automatic HD 6-speed	GU6	3.42
1LS/1LT Optional	LWN Duramax	I4	2.8/170	DI	Automatic M5U	Automatic 8-speed	GU6	3.42

1. E85 is 85% ethanol and 15% gasoline.

AUTOMATIC TRANSMISSION RATINGS

	(L20) Vortec 4.8L V8 SFI		(L96) Vortec 6.0L V8 FlexFuel		(LC8) 6.0L V8 SFI Gaseous		(LWN) 2.8L Duramax Turbo-Diesel	
MODEL	AXLE RATIO	Maximum Trailer Towing lbs. (kg)	AXLE RATIO	Maximum Trailer Towing lbs. (kg)	AXLE RATIO	Maximum Trailer Towing lbs. (kg)	AXLE RATIO	Maximum Trailer Towing lbs. (kg)
CG23405	3.42	7200 (3266)	3.42	10000 (4536)	3.42	10000 (4536)	3.42	6800 (3084)
CG23705	3.42	6900 (3130)	3.42	9800 (4445)	3.42	9800 (4445)	3.42	6500 (2948)
CG33405	3.42	7200 (3266)	3.42	10000 (4536)	3.42	10000 (4536)	3.42	6800 (3084)
CG33705	3.42	7000 (3175)	3.42	9900 (4491)	3.42	9800 (4445)	3.42	6500 (2948)

The wiring system is designed to operate with maximum performance and reliability. Adding electrical accessories to the vehicle for which it was not designed, would case abnormalities in the electrical system.

The electrical system was designed to handle one additional stop/turn light bulb per tail light circuit (one added stop/turn light bulb to the right and left side). It is not recommended to add more than one bulb per circuit as it will result in damage to the electrical system (without optional trailer Towing Wiring). It is highly recommended to order the van with the optional (UY7) trailering wire harness only, trailering provisions for towing.

GCWR For Engine/Rear Axle Ratio Combination

(GCWR) GROSS COMBINATION WEIGHT RATINGS LBS. (KG)			
13000 (5897)		16000 (7258)	
(LV1) 4.3L V6 SIDI	3.42	(LC8) 6.0L V8 SFI Gaseous	3.42
(LWN) Duramax 2.8L I4 Turbo-Diesel	3.42	(L96) Vortec 6.0L V8 FlexFuel	3.42

EMISSIONS - MUST BE SPECIFIED

FE9	**FEDERAL EMISSIONS,** Use for ordering vehicles that will be registered in all states except California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington State.
YF5	**CALIFORNIA EMISSIONS,** Use for ordering vehicles that will be registered in California.
NE1	**EMISSIONS,** Use for ordering vehicles that will be registered in Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington State.
NB8	**EMISSIONS,** Required when option code FE9 "FEDERAL EMISSIONS" is ordered for delivery to a dealer located in California, Connecticut, Delaware, Massachusetts, Maryland, New Jersey, New York, Oregon, Pennsylvania, Rhode Island and Washington State for a purchaser who will be registering the vehicle outside California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington State. Do not use for vehicles that will be registered in California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington State.
NC7	**EMISSIONS,** Required when option code YF5 "CALIFORNIA EMISSIONS" or option code NE1 "CT/DE/ME/MD/MA/NJ/NY/OR/PA/RI/VT/WA EMISSIONS" is ordered for delivery to a dealer located in any state except California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington State for a purchaser who will be registering the vehicle in one of these states or sold as permitted below under "EPA Policy on the Sale of California Emission Vehicles".
NB9	**EMISSIONS,** Required when option code YF5 is ordered for delivery to a dealer located in Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington State. Required when option code NE1 is ordered for delivery to a dealer located in California.

NOTE: For more 2018 Emissions requirements contact your local dealer (reference 2018 Model Year GM Vehicles Emission Requirements Bulletin number GM 17-17 issued August 22, 2017)

DIMENSIONS





135″ Regular Wheelbase G2500 Shown



SPECIFICATIONS - GAS ENGINE

GENERAL

Model G2500 Regular Wheelbase RWD (CG23405)
Model G2500 Extended Wheelbase RWD (CG23705)
Model G3500 Regular Wheelbase RWD (CG33405)
Model G3500 Extended Wheelbase RWD (CG33705)
Projected top speed on all Express Cargo Van models is 98 mph

NOTE: Adding non dealer accessories or making modifications to the vehicle can affect vehicle performance, aerodynamics, and overall top speed.

	CG23405 G2500 Regular Wheelbase RWD 1WT	CG23705 G2500 Extended Wheelbase RWD 1WT	CG33405 G3500 Regular Wheelbase RWD 1WT	CG33705 G3500 Extended Wheelbase RWD 1WT
ENGINE				
Type	V6 (LV1)	V6 (LV1)	V6 (LV1)	V6 (LV1)
Fuel	GAS	GAS	GAS	GAS
Displacement: liters/cu. in.	4.3/262	4.3/262	4.3/262	4.3/262
Horsepower/rpm	276@5200	276@5200	276@5200	276@5200
Torque lb.-ft./rpm	298@3900	298@3900	298@3900	298@3900
Fuel system	DI	DI	DI	DI
Exhaust	Single	Single	Single	Single
Minimum recommended fuel octane	87	87	87	87
Fuel tank capacity (gallons/liters)	31/117.3	31/117.3	31/117.3	31/117.3
TRANSMISSION				
Automatic heavy-duty	8-speed	8-speed	8-speed	8-speed
AXLE				
Ratio	3.42	3.42	3.42	3.42
CHASSIS				
Frame	Full length boxed frame	Full length boxed frame	Full length boxed frame	Full length boxed frame
Front suspension	Independent with coil spring and stabilizer bar	Independent with coil spring and stabilizer bar	Independent with coil spring and stabilizer bar	Independent with coil spring and stabilizer bar
Rear suspension	Hypoid driver axle w/multi-leaf springs	Hypoid driver axle w/multi-leaf springs	Hypoid driver axle w/multi-leaf springs	Hypoid driver axle w/multi-leaf springs
Steering type	Speed sensitive, variable ratio, integral power	Speed sensitive, variable ratio, integral power	Speed sensitive, variable ratio, integral power	Speed sensitive, variable ratio, integral power
Steering ratio (center/stop)	17.2:1	17.2:1	17.2:1	17.2:1
BRAKES				
ABS hydra-boost	Disc/Disc	Disc/Disc	Disc/Disc	Disc/Disc
Front size	12.8 x 1.50	12.8 x 1.50	12.8 x 1.50	12.8 x 1.50
Rear size	13.0 x 1.14	13.0 x 1.14	13.0 x 1.14	13.0 x 1.14
TIRES				
Type	All-season	All-season	All-season	All-season
Size	LT245/75R16	LT245/75R16	LT245/75R16	LT245/75R16
WHEELS				
Type	Steel	Steel	Steel	Steel
Size	16" x 6.5"	16" x 6.5"	16" x 6.5"	16" x 6.5"
BATTERY				
Type	Maintenance free	Maintenance free	Maintenance free	Maintenance free
BCI group size	78	78	78	78
Volts	12	12	12	12
Amp hour rating	69	69	69	69
Cold cranking-amps @ 0°F (-18°C)	600	600	600	600
Reserve capacity @ 80°F (27°C) minutes	115	115	115	115
ALTERNATOR				
Amps	105	105	105	105

SPECIFICATIONS - GAS ENGINE

EXTERIOR (in./mm)	CG23405 G2500 Regular Wheelbase RWD	CG23705 G2500 Extended Wheelbase RWD	CG33405 G3500 Regular Wheelbase RWD	CG33705 G3500 Extended Wheelbase RWD
Wheelbase	135.00/3429	155.00/3937	135.00/3429	155.00/3937
Overall length	224.10/5692	244.10/6200	224.10/5692	244.10/6200
Body width (without mirrors)	79.20/2012	79.20/2012	79.20/2012	79.20/2012
Overall height, at roof*	84.60/2149	84.30/2141	84.50/2146	84.10/2136
Front bumper to axle	39.70/1008	39.70/1008	39.70/1008	39.70/1008
Opening height, side door*	47.90/1217	47.90/1217	47.90/1217	47.90/1217
Opening height, rear door*	49.40/1255	49.40/1255	49.40/1255	49.40/1255
Opening width, sliding side door	44.10/1120	44.10/1120	44.10/1120	44.10/1120
Opening width, rear door, at beltline	57.00/1448	57.00/1448	57.00/1448	57.00/1448
Step up height, front door*	20.30/516	20.30/516	20.30/516	20.30/516
Step up height, side door*	20.80/528	20.80/528	20.80/528	20.80/528
Ground to top of rear load floor*	27.80/706	27.80/706	27.80/706	27.80/706
Ground clearance, front*	11.00/279	11.00/279	8.80/224	8.80/224
Ground clearance, rear*	7.10/180	7.10/180	7.70/196	7.70/196
Sign panel area, side panel width	116.50/2959	136.50/3467	116.50/2959	136.50/3467
Sign panel area, side panel height	56.70/1440	56.70/1440	56.70/1440	56.70/1440
Front stabilizer bar diameter, in./mm	1.38/35	1.38/35	1.38/35	1.38/35
Overhang, front	39.70/1008	39.70/1008	39.70/1008	39.70/1008
Turning circle/curb to curb	49.2/15	54.5/16.6	49.2/15	54.5/16.6

*Published dimensions indicated are at Base Curb Weight.

INTERIOR (in./mm)				
Head room, front	39.80/1011	39.80/1011	39.80/1011	39.80/1011
Shoulder room, front	68.80/1748	68.80/1748	68.80/1748	68.80/1748
Hip room, front	65.50/1664	65.50/1664	65.50/1664	65.50/1664
Leg room, front	41.30/1049	41.30/1049	41.30/1049	41.30/1049
Load floor length, to front seat, at floor	124.60/3165	146.20/3713	124.60/3165	146.20/3713
Load floor length, to engine cover, at floor	153.60/3901	173.60/4409	153.60/3901	173.60/4409
Inside width, between wheelhousing	52.70/1339	52.70/1339	52.70/1339	52.70/1339
Cargo area height	52.90/1344	53.40/1356	52.90/1344	53.40/1356

CAPACITY				
Seating capacity (front)	2	2	2	2
Optional seating capacity (front/rear)	2/3	2/3	2/3	2/3
Base curb weight[4], lbs. (kg)	5225 (2370)	5556 (2520)	5266 (2389)	5482 (2487)
Payload[5], lbs./kg	3353 (1521)	3022 (1371)	4311 (1955)	4096 (1858)
Cargo vol., reg,[1] w/seats, cu. ft./liters	239.7/6788.3	284.4/8054.2	239.7/6788.3	284.4/8054.2
Cargo vol., reg,[1] w/seats removed, cu. ft./liters	270.4/7657.7	313.9/8889.6	270.4/7657.7	313.9/8889.6
GVWR[3] lbs./kg Gross Vehicle Weight Rating/	8600/3901	8600/3901	9600/4355	9600/4355
Fuel capacity, approximate, U.S., gallon/liters	31/117	31/117	31/117	31/117

1. Cargo and load capacity limited by weight and distribution.
3. Gross Vehicle Weight Rating (GVWR). When properly equipped, includes vehicle, passengers, cargo and equipment.
4. Base curb weight in operational status with 100% fuel, fluids and standard base equipment (excludes optional content)
5. These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the vehicle loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver's door jamb.

SPECIFICATIONS - DIESEL ENGINE

GENERAL

Model G2500 Regular Wheelbase RWD (CG23405)

Model G2500 Extended Wheelbase RWD (CG23705)

Model G3500 Regular Wheelbase RWD (CG33405)

Model G3500 Extended Wheelbase RWD (CG33705)

Projected top speed[1] on all Express Cargo Van models is 98 mph

NOTE: Adding non dealer accessories or making modifications to the vehicle can affect vehicle performance, aerodynamics, and overall top speed.

ENGINE	CG23405 G2500 Regular Wheelbase RWD 1WT	CG23705 G2500 Extended Wheelbase RWD 1WT	CG33405 G3500 Regular Wheelbase RWD 1WT	CG33705 G3500 Extended Wheelbase RWD 1WT
Type	Duramax (LWN) Turbo I-4	Duramax (LWN) Turbo I-4	Duramax (LWN) Turbo I-4	Duramax (LWN) Turbo I-4
Fuel	Diesel	Diesel	Diesel	Diesel
Displacement: liters/cu. in.	2.8/170	2.8/170	2.8/170	2.8/170
Horsepower/rpm	181@3400	181@3400	181@3400	181@3400
Torque lb.-ft./rpm	369@2000	369@2000	369@2000	369@2000
Fuel system	Turbo Diesel	Turbo Diesel	Turbo Diesel	Turbo Diesel
Exhaust	Single	Single	Single	Single
Fuel tank capacity (gallons/liters)	31/117.3	31/117.3	31/117.3	31/117.3
TRANSMISSION				
Automatic heavy-duty	8-speed	8-speed	8-speed	8-speed
AXLE				
Ratio	3.42	3.42	3.42	3.42
CHASSIS				
Frame	Full length boxed frame	Full length boxed frame	Full length boxed frame	Full length boxed frame
Front suspension	Independent with coil spring and stabilizer bar	Independent with coil spring and stabilizer bar	Independent with coil spring and stabilizer bar	Independent with coil spring and stabilizer bar
Rear suspension	Hypoid driver axle w/multi-leaf springs	Hypoid driver axle w/multi-leaf springs	Hypoid driver axle w/multi-leaf springs	Hypoid driver axle w/multi-leaf springs
Steering type	Speed sensitive, variable ratio, integral power	Speed sensitive, variable ratio, integral power	Speed sensitive, variable ratio, integral power	Speed sensitive, variable ratio, integral power
Steering ratio (center/stop)	17.2:1	17.2:1	17.2:1	17.2:1
BRAKES				
ABS hydra-boost	Disc/Disc	Disc/Disc	Disc/Disc	Disc/Disc
Front size	12.8 x 1.50	12.8 x 1.50	12.8 x 1.50	12.8 x 1.50
Rear size	13.0 x 1.14	13.0 x 1.14	13.0 x 1.14	13.0 x 1.14
TIRES				
Type	All-season	All-season	All-season	All-season
Size	LT245/75R16	LT245/75R16	LT245/75R16	LT245/75R16
WHEELS				
Type	Steel	Steel	Steel	Steel
Size	16" x 6.5"	16" x 6.5"	16" x 6.5"	16" x 6.5"
BATTERY				
Type	Maintenance free	Maintenance free	Maintenance free	Maintenance free
BCI group size	78	78	78	78
Volts	12	12	12	12
Amp hour rating	63	63	63	63
Cold cranking-amps @ 0°F (-18°C)	Dual 770	Dual 770	Dual 770	Dual 770
Reserve capacity @ 80°F (27°C) minutes	110	110	110	110
ALTERNATOR				
Amps	150	150	150	150

SPECIFICATIONS - DIESEL ENGINE

EXTERIOR (in./mm)	CG23405 G2500 Regular Wheelbase RWD	CG23705 G2500 Extended Wheelbase RWD	CG33405 G3500 Regular Wheelbase RWD	CG33705 G3500 Extended Wheelbase RWD
Wheelbase	135.00/3429	155.00/3937	135.00/3429	155.00/3937
Overall length	224.10 /5692	244.10 /6200	224.10 /5692	244.10 /6200
Body width (without mirrors)	79.20 /2012	79.20 /2012	79.20 /2012	79.20 /2012
Overall height, at roof*	84.60 /2149	84.30 /2141	84.50 /2146	84.10 /2136
Front bumper to axle	39.70 /1008	39.70 /1008	39.70 /1008	39.70 /1008
Opening height, side door*	47.90 /1217	47.90 /1217	47.90 /1217	47.90 /1217
Opening height, rear door*	49.40 /1255	49.40 /1255	49.40 /1255	49.40 /1255
Opening width, sliding side door	44.10 /1120	44.10 /1120	44.10 /1120	44.10 /1120
Opening width, rear door, at beltline	57.00 /1448	57.00 /1448	57.00 /1448	57.00 /1448
Step up height, front door*	20.30 /516	20.30 /516	20.30 /516	20.30 /516
Step up height, side door*	20.80 /528	20.80 /528	20.80 /528	20.80 /528
Ground to top of rear load floor*	27.80 /706	27.80 /706	27.80 /706	27.80 /706
Ground clearance, front*	11.00 /279	11.00 /279	8.80 /224	8.80 /224
Ground clearance, rear*	7.10 /180	7.10 /180	7.70 /196	7.70 /196
Sign panel area, side panel width	116.50 /2959	136.50 /3467	116.50 /2959	136.50 /3467
Sign panel area, side panel height	56.70 /1440	56.70 /1440	56.70 /1440	56.70 /1440
Front stabilizer bar diameter, in./mm	1.38 /35	1.38 /35	1.38 /35	1.38 /35
Overhang, front	39.70 /1008	39.70 /1008	39.70 /1008	39.70 /1008
Turning circle/curb to curb	49.2/15	54.5/16.6	49.2/15	54.5/16.6

*Published dimensions indicated are at Base Curb Weight.

INTERIOR (in./mm)				
Head room, front	39.80 /1011	39.80 /1011	39.80 /1011	39.80 /1011
Shoulder room, front	68.80 /1748	68.80 /1748	68.80 /1748	68.80 /1748
Hip room, front	65.50 /1664	65.50 /1664	65.50 /1664	65.50 /1664
Leg room, front	41.30 /1049	41.30 /1049	41.30 /1049	41.30 /1049
Load floor length, to front seat, at floor	124.60 /3165	146.20 /3713	124.60 /3165	146.20 /3713
Load floor length, to engine cover, at floor	153.60 /3901	173.60 /4409	153.60 /3901	173.60 /4409
Inside width, between wheelhousing	52.70 /1339	52.70 /1339	52.70 /1339	52.70 /1339
Cargo area height	52.90 /1344	53.40 /1356	52.90 /1344	53.40 /1356

CAPACITY				
Seating capacity/front	2	2	2	2
Optional seating capacity/front/rear	2/5	2/5	2/5	2/5
Base curb weight[4], lbs. (kg)	5678 (2576)	5911 (2681)	5767 (2616)	5992 (2718)
Cargo vol., reg[1], cu. ft. (liters) w/seats	239.7/6788.3	284.4/8054.2	239.7/6788.3	284.4/8054.2
Cargo vol., reg[1], cu. ft. (liters) w/seats removed	270.4/7657.7	313.9/8889.6	270.4/7657.7	313.9/8889.6
Payload[5], lbs. (kg)	2900 (1315)	2667 (1210)	3811 (1729)	3886 (1763)
GVWR[3], lbs. (kg) Gross Vehicle Weight Rating	8600 (3901)	8600 (3901)	9600 (4355)	9900 (4491)
Fuel capacity, approximate, U.S., gallon (liters)	31/ 117	31/ 117	31/ 117	31/ 117
Conventional Trailer Rating, lbs. (kg)	7100/ 3220	6100/ 2767	6200/ 2812	6000/ 2722

1. Cargo and load capacity limited by weight and distribution.
3. Gross Vehicle Weight Rating (GVWR). When properly equipped, includes vehicle, passengers, cargo and equipment.
4. Base curb weight in operational status with 100% fuel, fluids and standard base equipment (excludes optional content)
5. These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the vehicle loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver's door jamb.

AIRBAGS

TOP VIEW OF INSTRUMENT PANEL AND APPROXIMATE DEPLOYMENT AREA OF THE AIRBAG ZONE



Lower instrument panel bolsters are provided to absorb energy during frontal collisions and are designed to limit leg movement to decrease the chance of injury to the driver and front passenger.

REAR VIEW OF INSTRUMENT PANEL AND APPROXIMATE DEPLOYMENT AREA OF THE AIRBAG ZONE



RIGHT SIDE VIEW OF INSTRUMENT PANEL AND APPROXIMATE DEPLOYMENT AREA OF THE AIRBAG ZONE



AIRBAGS

ROOF-RAIL SIDE IMPACT AIRBAG DEPLOYMENT ZONES - PASSENGER SIDE SHOWN, DRIVER SIDE SIMILAR



LONG W.B. SHOWN, SHORT W.B. SIMILAR

AIR BAG ZONE	USAGE	VEHICLE DESCRIPTION
B	LH/RH	CARGO/WORK VAN (DRIVER/FRONT PASSENGER ONLY

ROOF-RAIL SIDE IMPACT AIRBAG DRIVER AND PASSENGER DEPLOYMENT ZONES – VIEW FROM REAR CARGO AREA



1. Roof-rail Airbag Deployment Zone
2, Underside of Headliner
3. Edge of Headliner
4. Inner Pillar Trim
5. Inner Front Door Trim
6. Front Seatback Side Deployment Zone
   H: 520 mm Above Seat Cushion
   W: 180 mm From Door Trim
7. Front Seat Back
8. Seat Centerline
9. Top of Seat Cushion

The driver and passenger seat-mounted side impact airbag deployment zones move up, down, fore, aft, as the seat is adjusted by the occupant. The deployment zones also move as the seatback is reclined and raised.

AIRBAGS FAQ

Can specialty vehicle equipment (e.g. radar devices, video cameras, computers, meters, radio trees, shotguns, etc.) still be mounted in cars with passenger side airbags?

Yes, but care must be taken to mount the equipment outside of the deployment zone. Airbags inflate with great force and will interact with any object in the deployment zone. Therefore, to reduce the risk of injury to vehicle occupants, GM recommends that the air deployment zone be kept free of any equipment. If a piece of equipment were to become dislodged it could strike an occupant in the vehicle and result in injury. The likelihood of an object becoming dislodged is influenced by many factors, including the proximity of the object to the inflatable restraint, the size and shape of the object and the means by which the object is secured to the vehicle. In addition to these factors, the trajectory and velocity of the dislodged object can be influenced by the type and severity of vehicle crash.

Objects that are in the deployment zone, but do not become dislodged by an inflating airbag can still affect the performance of the airbag. For example, such objects could tear the fabric or affect the shape of the airbag, thus reducing the ability of the bag to provide restraint.

Is it possible to shield equipment that is installed in the passenger side frontal airbag deployment zone in a manner that will allow full and safe airbag deployment?

Due to the complexity of the influencing variables, GM is unable to evaluate the potential for shielding expected equipment configurations in all accident scenarios in order to assure that the airbag performance would be unaffected. While shielding may protect certain equipment from being damaged or dislodged, it may also negatively affect the inflation characteristics of the airbag. The airbag's shape, inflation angle, fold pattern, and inflation rate and pressure are developed to maximize the protection capability of the inflatable restraint system. Therefore, GM cannot recommend the placement of any equipment in the deployment zone, even if it is shielded to protect it from damage.

Front airbag systems and instrument panel mounted equipment.

Passenger airbags in GM vehicles deploy in different ways depending upon the type of vehicle and the particular instrument panel design.

In some vehicles, the passenger airbag deploys through a discrete door located on the top surface of the instrument panel (top-mount airbag systems). In other vehicles, the passenger airbag deploys through a discrete door mounted on the vertical rearward surface of the instrument panel, above the glove box door (mid-mount airbag system). With these types of top mount and mid-mount passenger airbag systems, the top pad of the instrument panel remains in place during deployment.

Some GM passenger airbag systems deploy from beneath the instrument panel top pad. These are considered 3/4-mount airbag systems with a "deployable top pad." The entire instrument panel top pad is the "deployment door" from under which the inflation airbag emerges. When an airbag deployment is commanded, the forces from the inflating passenger airbag push up on the instrument panel top pad, releasing special fasteners across the rearward edge of the top pad. This allows the top pad to rotate upward so that the passenger airbag may emerge. The top pad rotates upward to open widest at the right hand side, and is usually forced upward into contact with the windshield on the right hand side of the vehicle during a deployment.

Instrument panel top mounted special equipment, such as a radar antenna and control unit or video camera must be positioned to the left of the vehicle center line. This equipment must be mounted as low as possible and securely fastened to the top pad to avoid being dislodged in the event of a crash and possible airbag deployment. In the process of securely fastening special equipment to the top, DO NOT fasten down the top pad itself to any other vehicle component such as the cluster trim plate. As described above, the top pad rotates upward during a deployment. In order to enable the proper deployment of the passenger airbag, specialty equipment installation MUST NOT PREVENT the top pad from rotating upward during deployment. Location and attachment of special equipment should minimize added resistance or interference to upward rotation of the top pad during deployment.

On the right half of the top pad closest to the passenger airbag module, GM recommends that no equipment be mounted. When mounting equipment not he driver side of the top pad, GM recommends that the toal mass of the top pad mounted special equipment not exceed 8 pounds (3.6 Kilograms), since some top pads tend to rotate about the left end.

Fasteners used to secure special equipment to the instrument panel top pad, the windshield glass, or to the windshield upper frame (header), should be selected to ensure that these devices will remain attached during a vehicle crash and possible airbag deployment.

Side-Impact Airbags for crashes to the vehicle sides.

The airbag system in your police vehicle includes roof rail mounted Head Curtain side airbags. The vehicle is also equipped with seat back mounted upper body airbags located on the outboard side of the driver and front passenger seat backs. Together the Head Curtain and seat-mounted side airbags are intended to protect the head and upper body in the event of a side crash. The Head Curtain and seat-mounted side airbags also may be commanded to deploy in the event that the vehicle sensing system detects an impending or underway rollover of the vehicle. Some vehicles may also be equipped with an optional airbag, mounted on the inboard side of the driver seat back.

Can Specialty Vehicle Security Barriers be mounted within the side airbag deployment zones?

No. The Side airbags inflate extremely fast because of the nature of side crashes to the vehicle. Mounting a security barrier behind the front seats with the ends placed within the side airbag deployment zones will result in unintended interaction between the barrier and the inflated side airbags. To reduce the risk of injury to the vehicle occupants, GM recommends that the side airbag zones be kept free of any customer installed equipment.

Customer furnished equipment installed to the vehicle roof.

The roof system may also include side airbag head curtain components.
Inflation devices and cushion components may be mounted not he vehicle roof side from the base of the windshield along the roof rail above the door openings to the base of the rear window pillar. Care must be taken to avoid damage to these components or interference with their operation when installing roof mounted equipment such as emergency lamps and communication antennas.

Always use safety belts and the correct restraint for your child's age and size, even with air bags. Even in vehicles equipped with the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the Owner's Manual and the child safety seat instructions for more safety information.

AIRBAGS FAQ

Can the installation of push bumpers on the front end of the vehicle affect the deployment of the airbag?

General Motors is not aware of adverse effects during crash events from the many push bumpers that have been installed on GM police vehicles. Because there are many styles of push bumpers available with varying crash characteristics, installation of push bumpers may or may not effect deployment timing of the airbags. Push bumpers should be mounted to avoid modifying the vehicle structure and interfering with the front airbag sensors mounted on the upper radiator support cross member.

Two front impact sensors are installed in General Motors vehicles. Do not relocate or disconnect the front sensors. The location and orientation of the front sensors are critical for correct operation of the airbag system. Avoid mounting components on or near the sensors. Push bumper styles with vertical pushing members that are in foreaft alignment with the front airbag sensors are not recommended.

When should an airbag inflate?

The driver's and right-front passenger's frontal airbags are designed to inflate in moderate to severe frontal or near-frontal crashes. But they are designed to inflate only if the impact speed is above the system's designed "threshold level."

In addition, your vehicle has “dual stage” frontal airbags which tailor the amount of restraint according to crash severity. For moderate frontal impacts, the airbags inflate at a level less than full deployment. For more severe frontal impacts, "dual stage" frontal airbags deploy at full levels.

If the front of your vehicle goes straight into a wall that doesn't move or deform, the threshold level of the reduced deployment is about 12 to 16mph (19 to 15 km/h), and the threshold level for a full deployment is about 18 to 24 mph (29 to 28.5 km/h). The threshold level can vary, however, with specific vehicle design, so that it can be somewhat above or below this range.

If your vehicle strikes something that will move or deform such as a parked car, the threshold level will be higher. The driver's and right-front passenger's frontal airbags are not designed to inflate in rollover, side impacts, or rear impacts, because inflation would not help the occupant.

Seat mounted side impact airbags are designed to inflate in moderate to severe side crashes. The side impact airbags will inflate if the crash severity is above the designed "threshold level." The threshold level can vary with specific vehicles design. The side impact airbags are not designed to inflate on frontal or near frontal impacts or rear impacts, because inflation would not help the occupant.

Roof rail mounted head-curtain airbags are designed to inflate in moderate to severe side crashes. In addition, certain vehicles have head-curtain airbags which are also designed to inflate in situations where an impending rollover condition is identified by the vehicle's rollover sensing system and/or frontal or near-frontal impacts if the crash severity is above the designed "threshold level." Safety belt pretensioners at the driver and front passenger seat positions are designed to deploy in frontal, near-frontal, side, and rear crashes that exceed the "threshold level" of crash severity to help reduce slack in the safety belt. Safety belt pretensioners will also deploy in impending rollover situations.

How long will the airbag remain inflated?

It takes approximately 1/20th of a second to fully inate the frontal airbags. This is faster than the blink of an eye. The airbags begin to deate immediately, helping to stop the occupants more gradually. Unlike frontal airbags, head curtain side airbags can remain inflated for more than 5 seconds before they start to deate.

I've heard that a deployed airbag produces what appears to be smoke, is the airbag hot?

After the bag has deployed in a crash, the airbag itself will not be hot to touch. Some components within the airbag module will be hot for a short time. A small amount of smoke coming from a deployed airbag module is normal and should not be cause for concern. Also, when the nitrogen gas is vented out of the airbag, small particles from inside the bag are also vented into passenger compartment. These airborne particles look like smoke and some particles are deposited as residue on and around the airbag.

I've heard that the dusts that are released into the passenger compartment from the airbag are harmful, is this true?

For most people, the only effect the dusts will produce is some irritation of the throat and eyes, and that is only if the occupant remains in the vehicle for many minutes after the airbag deployment with no ventilation and windows closed. However, some people with asthma may develop an asthmatic attack from inhaling the dusts. If this happens, they should first treat themselves the same way their doctor has advised them to treat any other asthma attack, and then immediately seek medical treatment.

Can the airbag system be re-used?

No. The airbags are designed to inflate only once. After inflation, some new parts will be required. These will include the airbag module and possibly other parts. (A competent service technician with access to the vehicle's service manual and the required tools should replace the required components after a deployment crash.)

If my vehicle has airbags, why should I have to wear my safety belt?

Yes, safety belts are the primary safety restraint in the vehicle. Airbags are in many vehicles today and will be in most of them in the future. But they are supplemental systems only; so they work with safety belts, not instead of them. Every airbag system ever offered for sale has required the use of safety belts. Even if you're in a vehicle that has airbags, you still have to buckle up to get the most protection. That's true not only in frontal collisions but especially in side and other collisions.

Always use safety belts and the correct restraint for your child’s age and size, even with air bags. Even in vehicles equipped with the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the Owner’s Manual and the child safety seat instructions for more safety information.

ELECTRONIC STABILITY CONTROL SYSTEMS (STABILITRAK)

StabiliTrak systems help drivers maintain control of their vehicles, especially during emergency lane changes or avoidance maneuvers. StabiliTrak uses various sensors, such as steering wheel angle, wheel speed, yaw velocity, etc., to detect any difference between the path requested by the steering wheel position and vehicle's actual path. When appropriate, the system selectively controls brakes, engine power, and even suspension settings to enhance control of the vehicle's direction and help keep it on course.

Independent studies conducted by the National Highway Traffic Safety Administration, the Insurance Institute for Highway Safety, and others have found StabiliTrak to be highly reactive in reducing vehicle crashes. General Motors offers StabiliTrak systems on many of its passenger car and light truck models.

See your owner's manual for additional information about the operation of StabiliTrak.

Q. How do I use StabiliTrak?
A. StabiliTrak operates independently of the driver. You should continue to drive your StabiliTrak equipped vehicle with caution and care. GM's StabiliTrak system, StabiliTrak is designed to be as seamless as possible in operation, and part of the overall vehicle response to make a good vehicle better

Q. How does StabiliTrak work?
A. StabiliTrak has the ability to apply control forces to the vehicle independent of the driver. StabiliTrak uses sensors to continuously compare the path indicated by the steering wheel position to the vehicle's actual path. If a discrepancy is detected, StabiliTrak selectively controls vehicle brakes and engine torque to create a yaw moment that helps restore the vehicle's actual path to the path indicated by the steering wheel position. StabiliTrak has the ability to help correct both understeer (where the vehicle is not turning as much as the steering wheel position indicates) and oversteer (where the vehicle is turning more than the steering wheel position indicates).

Q. Will a tire change aect StabiliTrak?
A. Use of tires other than original equipment may aect StabiliTrak performance. StabiliTrak is designed to make the best use of available traction. The performance characteristics of the original equipment tires are part of the overall system effectiveness. When you replace tires check the recommendations in your owner's manual. On GM vehicles, the original equipment tires have a "TPC" (Tire Performance Criteria) code on the sidewall. Replacing the tires with the same "TPC" code will help assure proper StabiliTrak performance.

DRIVER OPERATED TRACTION CONTROL BUTTON

An advanced computer controlled stability enhancement system assists the driver with directional control of the vehicle in dicult driving conditions. Each time the vehicle is started, the StabiliTrak system is fully on. Stabilitrak can be controlled by a Traction Control Button. The condition system is displayed by a StabiliTrak indicator light and Driver Information Center (DIC) Message. Push once to disable Traction Control. Push and hold to disable both Traction Control and StabiliTrak. In this condition, StabiliTrak will automatically turn ON when the vehicle speed exceeds 35 mph (56km/hr) while the Traction Control remains OFF. Push again to enable Traction Control and StabiliTrak.

MAINTENANCE / WARRANTY

MAINTENANCE
Two maintenance visits within 2 years/24,000 miles (whichever comes first) includes:

- ACDelco dexos1®Oil and ACDelco Oil Filter Change (excludes Bolt EV)
- 4-wheel Tire Rotation
- 27-Point Vehicle Inspection (MPVI)

Maintenance visits must occur within two years or 24,000 miles of vehicle delivery, whichever comes first. All 2017 Corvette models are eligible for three service visits under the Chevrolet Complete Care program. Does not include air filters. See participating dealer for other restrictions and complete details.

All vehicles require periodic maintenance. Maintenance services, such as those detailed in the Owner's Manual are the owner's expense. Vehicle lubrication, cleaning, or polishing are not covered. Failure of or damage to components requiring replacement or repair due to vehicle use, wear, exposure, or lack or maintenance is not covered.

Items such as audio system cleaning, brake pads/linings, clutch linings, coolants and fluids, filters, keyless entry (or other remote transmitter/receiver batteries),† limited slip rear axle service, tire rotation, wheel alignment/balance,† wiper inserts are covered up to the first maintenance inspection period outlined in the Owner's Manual. Any replacement at the time of, or beyond the maintenance inspection period is considered maintenance, and is not covered as part of the New Vehicle Limited Warranty. The New Vehicle Limited Warranty only covered components when replacement or repair of these components is the result of a defect in material or workmanship.

BUMPER TO BUMPER WARRANTY (including tires)
Coverage is for the first 3 years or 36,000 miles, whichever comes first.
This warranty gives you specific legal rights and you may also have other rights which vary from state to state. GM does not authorize any person to create for it any other obligation or liability in connection with these vehicles. Any implied warranty of merchantability or fitness for a particular purpose applicable to this vehicle is limited in duration to the duration of this written warranty. Performance of repairs and needed adjustments is the exclusive remedy under this written warranty or any implied warranty. GM shall not be liable for incidental or consequential damages, such as, but not limited to, lost wages or vehicle rental expenses, resulting from breach of this written warranty or any implied warranty.

ENGINE
Coverage includes all internally lubricated parts, engine oil cooling hoses, and lines. Also included are all actuators and electrical components internal to the engine (e.g., Active Fuel Management valve, lifter and oil manifold) cylinder head, block, timing gears, timing chain, timing cover, oil pump/oil pump housing, OHC carriers, valve covers, oil pan, seals, gaskets, manifolds, flywheel, water pump, harmonic balancer, engine mount, turbocharger, and supercharger. Timing belts are covered until the first scheduled maintenance interval. Exclusions: Excluded from the powertrain coverage are sensors, wiring, connectors, engine radiator, coolant hoses, coolant, and heater core. Coverage on the engine cooling system begins at the inlet to the water pump and ends with the thermostat housing and/or outlet that attaches to the return hose. Also excluded is the starter motor, entire pressurized fuel system (in-tank fuel pump, pressure lines, fuel rail(s), regulator, injectors, and return line), as well as the Engine/ Powertrain Control Module and/or module programming.

DIESEL ENGINE COMPONENTS
Cylinder block and heads and all internal parts, intake and exhaust manifolds, timing gears, timing gear chain or belt and cover, flywheel, harmonic balancer, valve covers, oil pan, oil pump, water pump, fuel pump, engine mounts, seals, and gaskets. Parts of the Emissions Reduction System such as the emissions reduction fluid tank, injectors, sensors including NOx and exhaust, and the Exhaust Particulate Filter. Glow Plug Control System: Control/glow plug assembly, glow plugs, cold advance relay, and engine control module. The fuel injection control module, integral oil cooler, transmission adapter plate, common fuel rails, fuel filter assembly, fuel temperature sensor, and function block.

MAINTENANCE / WARRANTY

POWERTRAIN LIMITED WARRANTY
Coverage is for the first 5 years or 60,000 miles, whichever comes first.
Certain commercial fleet and/or government fleet vehicles purchased under a qualifying fleet account number are covered for 5 years or 100,000 miles, whichever comes first. A Qualified Fleet User is defined as a company that has purchased and registered or leased five (5) or more new cars/or trucks solely for use in its operation during the current or preceding calendar year, model year, preceding twelve (12) month period, or that owns or leases fifteen (15) or more cars and trucks. Excludes rental customers. See dealer for details.

Diesel Engine/Components: Cylinder block and heads and all internal parts, intake and exhaust manifolds, timing gears, timing gear chain or belt and cover, flywheel, harmonic balancer, valve covers, oil pan, oil pump, water pump, fuel pump, engine mounts, seals, and gaskets. Parts of the Emissions Reduction System such as the emissions reduction fluid tank, injectors, sensors including NOx and exhaust, and the Exhaust Particulate Filter. Glow Plug Control System: Control/glow plug assembly, glow plugs, cold advance relay, and engine control module. The fuel injection control module, integral oil cooler, transmission adapter plate, common fuel rails, fuel filter assembly, fuel temperature sensor, and function block.
Refer to the Limited Warranty and Owner Assistance Information or a Chevrolet dealership for additional details.

TRANSMISSION AND TRANSAXLE
Coverage includes all internally lubricated parts, case, torque converter, mounts, seals and gaskets, as well as any electrical components internal to the transmission/transaxle. Also covered are any actuators directly connected to the transmission (slave cylinder, etc.). Exclusions: Exclusions from the powertrain coverage include cooling lines, hoses, radiator, sensors, wiring, and electrical connectors. Also excluded are the clutch and pressure plate, as well as any Transmission Control Module and/or module programming.

TRANSFR CASE
Coverage includes all internally lubricated parts, case, mounts, seals and gaskets, as well as any electrical components internal to the transfer case. Also covered are any actuators directly connected to the transfer case, as well as the encoder motor. Exclusions: Excluded from the powertrain coverage are transfer case cooling lines, hoses, radiator, sensors, wiring, and electrical connectors, as well as the transfer case control module and/or module programming.

DRIVE SYSTEMS
Coverage includes all internally lubricated parts, final drive housings, axle shafts and bearings, constant velocity joints, propeller shafts and universal joints. All mounts, supports, seals, and gaskets, as well as any electrical components internal to the drive axle. Also covered are any actuators directly connected to the drive axle (e.g., front differential actuator). Exclusions: Excluded from the powertrain coverage are all wheel bearings, drive wheel front and rear hub bearings, locking hubs, drive system cooling, lines, hoses, radiator, sensors, wiring, and electrical connectors related to drive systems, as well as any drive system control module and/or module programming.

SHEET METAL
All body and sheet metal components are warranted against corrosion for 3 years or 36,000 miles, whichever comes first. Plus you're protected even further from rust-through corrosion for a minimum of 6years/100,000 miles (whichever comes first). Application of additional rust-inhibiting materials is not required under the corrosion coverage and none is recommended. See your GM dealer for terms of this limited warranty.

EMISSION CONTROL SYSTEM
For light duty trucks, see "How to Determine the Applicable Emissions Control Systems Warranty" under Emission Control System Warranty on pg. 21 for more information. Defects and performance for car and light-duty truck emission control systems are covered for the first 2 years or 24,000 miles, whichever comes first. From the first 2 years or 24,000 miles to 3 years or 36,000 miles defects in material or workmanship continue to be covered under the New Vehicle Limited Bumper-to-Bumper Warranty coverage. Specified major components are covered for the first 8 years or 80,000 miles, whichever comes first. Defects and performance for heavy duty truck emission control systems including those found in 6.6L Duramax® Diesel Engines are covered for the first 5 years or 50,000 miles, whichever comes first.

California: Defects and performance for cars and trucks with light duty or medium duty emission control systems are covered for the first 3 years or 50,000 miles, whichever comes first. Specified components for cars or light duty trucks equipped with light duty or medium duty truck emission control systems are covered for the first 7 years or 70,000 miles, whichever comes first. See "California Emission Control System Warranty" on pg. 21 of your Chevrolet Limited Warranty and Owner Assistance Information booklet.

MAINTENANCE / WARRANTY

TIRES
The tires supplied with your vehicle are covered by General Motors against defects in material or workmanship under the Bumper-to-Bumper Limited Warranty coverage. Wear-out is not considered a defect, and it may occur before the vehicle warranty expires. In this case, the owner is responsible for purchasing replacement tires, or seeking coverage solely from the tire manufacturer. For vehicles within the Bumper-to-Bumper Limited Warranty coverage, defective tires will be replaced on a prorated adjustment basis according to the mileage-based schedule in your Warranty and Owner Assistance Information booklet. After your New-Vehicle Limited Warranty expires, you may still have prorated warranty coverage on your original equipment tires by the tire manufacturer.

ACCESSORY COVERAGE
Most GM parts and accessories sold and permanently installed on a GM vehicle by a GM Dealer or GM approved Accessory Distributor/Installer (ADI) prior to delivery will be covered under the applicable portion (Bumper-to-Bumper, Powertrain, etc.) of the New Vehicle Limited Warranty. In the event GM accessories are installed after vehicle delivery, or are replaced under the New Vehicle Limited Warranty, they will be covered, parts and labor, for the balance of the applicable portion of the New Vehicle Limited Warranty, but in no event less than 12 months/unlimited miles. GM Accessories sold over the counter, or those not requiring installation, will continue to receive the standard GM Dealer Parts Warranty of 12 months from the date of purchase, parts only. GM Licensed and Integrated Business Partner (IBP) Accessories are covered under the accessory-specific manufacturer's warranty and are not warranted by GM or its dealers.

TOWING
Towing is covered to the nearest Chevrolet dealer if your vehicle cannot be driven because of a warranted defect.

COURTESY TRANSPORTATION PROGRAM
Offers response, security and convenience of the 24-Hour Roadside Assistance Program. Roadside Assistance is provided with all purchased or leased GM vehicles that are within the Powertrain Limited Warranty.

- Emergency Towing (from a public road or highway to nearest Chevrolet dealer)
- Lockout Service (keys locked inside vehicle)
- Flat Tire Changes (service to change a flat tire with the spare tire (if equipped)
- Fuel Delivery (enough fuel for vehicle to get to the nearest service station)
- Jump-Starts (service to jumpstart a dead battery) During the 8 year or 100,000 miles
- Electric Propulsion warranty period, towing is covered to the nearest Chevrolet servicing dealer if your vehicle cannot be driven because of a warranted Electric Propulsion specific defect. Refer to your Owner's Manual for details, including reservation of rights, or consult your dealer/retailer. --For specific terms and conditions, please contact your Chevrolet Roadside Assistance Program advisor at 1-800-243-8872.

WHAT IS NOT COVERED
Tire and Wheel Damage or Wear Normal tire wear and tear or wear-out is not covered. Tire wear is influenced by many variables such as road conditions, driving styles, vehicle weight, and tire construction. Uniform tire wear is a normal condition, and it not considered a defect. Road hazard damage such as punctures, cuts, snags, and breaks resulting from pothole impact, curb impact, or from other objects is not covered. Tire wear due to misalignment beyond the warranty period is not covered. Also, damage from improper mounting or dismounting, misuse, negligence, alteration, improper repair, accident, collision, fire, vandalism, or misapplication is not covered. Damage to sidewalls caused by automatic car washes or cleaning agents is not covered.

Damage Due to Bedliners Owners of trucks with a bedliner, whether after-market or factory installed, should expect that with normal operation the bedliner will move. This movement may cause finish damage. Therefore, any damage caused by the bedliner is not covered under the terms of the New Vehicle Limited Warranty. The factory spray in bedliner (RPO CGN) is not covered for a loss of shine and luster or fading. Refer to the Owner's Manual for more information on spray in bedliner maintenance.

Damage Due to Accident, Misuse, or Alteration. The New Vehicle Limited Warranty does not cover damage caused as a result of the following: Collision, fire, theft, freezing, vandalism, riot, explosion, or objects striking the vehicle.

Misuse of the vehicle such as driving over curbs, overloading, racing, or other competition. Proper Vehicle use is discussed in the Owner's Manual. Alteration, modification, or tampering to the vehicle, including, but not limited to the body, chassis, powertrain, driveline, software, or other components after final assembly by GM. Coverages do not apply if the odometer has been disconnected, its reading has been altered, or mileage cannot be determined. Installation of non-GM (General Motors) parts. Water or fluid contamination.

MAINTENANCE / WARRANTY

Damage resulting from hail, floods, windstorms, lightning, and other environmental conditions. Alteration of glass parts by application of tinting films.

Damage caused by failure to follow the recommended maintenance schedule intervals and/or failure to use or maintain proper fluids, or maintain fluids between recommended maintenance intervals, fuel, lubricants, or refrigerants recommended in the Owner's Manual is not covered.

Damage Due to Impact, Use, or the Environment Windshield or glass cracks, chips, or scratches due to impact are not covered, Windshield cracks will be covered for the first 12 months, regardless or mileage if caused by defects in material or workmanship. Lights, lenses, mirrors, paint, grille, moldings, and trim are not covered for cracks, chips, scratches, dents, dings, and punctures or tears as a result of impact with others objects or road hazards. In addition, cracks, chips, scratches, or other damage to the face of a radio or instrument cluster from impact or foreign objects are not covered.

Damage Due to Contaminated, Improper, or Poor Quality Fuel
Poor fuel quality or incorrect fuel may cause drivability problems, such as hesitation, lack of power, stalling, or failure to start. They may also degrade functionality of critical exhaust emissions components such as spark plugs, oxygen sensors, and the catalytic converter. Damage from poor fuel quality, water contamination, or if the vehicle requires premium fuel, operating the vehicle on gasoline with a Pump Octane less than 91 (R+M)/2, may not be covered. Prohibited fuels are: Gasolines containing any methanol, MMT, an organometallic octane enhancing additive, and/or fuels containing more than 15% ethanol in non-Flex Fuel Vehicles (FFV). Please refer to your Owner's Manual under "Fuel," for additional recommendations, including the use of TOP TIER Detergent Gasoline. Additional information can also be found at http://www.toptiergas.com

Third Party Externally Connected Electrical Products
This warranty does not apply to hardware or software of a third party device that is connected to the vehicle or its components, even if integrated or delivered with the vehicle. GM is not responsible for the quality or accuracy of any information, or service accessed through or from any third party device or platform. Software distributed by GM inside or outside the vehicle (including, but not limited to system software or applications) is not covered by this Warranty. GM does not warrant that connections to, from or through the vehicle will be uninterrupted or error-free. Also, the user should back-up their data and user information frequently. GM is not responsible for any loss or damage to data or information made available in connection with the use of the vehicle.

In addition, this Warranty does not apply to:

- consumable parts that are designed to diminish over time, unless failure has occurred due to a defect in materials or workmanship;
- damage caused by a third party device or service (including upgrades and expansions), or (d) to obsolescence or lack of utility with future versions of external hardware or software, including, but not limited to mobile devices.

ALTERATIONS AND WARRANTIES: The Chevrolet New Vehicle Limited Warranty does not cover any damage or failure resulting from modifications, installations, or alterations to the original equipment as manufactured or assembled by General Motors. The special body company, assembler, equipment installer or upfitter is solely responsible for warranties on the body or equipment and any alterations (or any effect of the alterations) to any of the parts, components, systems or assemblies installed by GM. General Motors is not responsible for the safety or quality of design features, materials or workmanship of any alterations by such suppliers.

IMPORTANT: This warranty is void on vehicles currently or previously titled as salvage scrapped, junked, or otherwise considered a total loss. Damage or Corrosion Due to Environment, Chemical Treatments, or Aftermarket Products
Damage Caused by airborne fallout, rail dust, salt from sea air, salt or other materials used to control road conditions, chemicals, tree sap, stones, hail, earthquake, water or flood, windstorm, lightning, the application of chemicals or sealants subsequent to manufacture, etc., is not covered. See "Chemical Paint Spotting" under Things to Know About the New Vehicle Limited Warranty on pg. 16. Damage Due to Insufficient or Improper Maintenance.

POLICE

GENERAL MOTORS FLEET

GM reserves the right to make changes at any time, without notice, in prices, colors, materials, equipment, specifications, models, and availability. Specifications, dimensions, measurements, ratings, and other numbers in this catalog and other printed materials provided at the dealership or affixed to vehicles are approximates based upon design and engineering drawings and prototypes and laboratory tests. Your vehicle may differ due to variations in manufacture and equipment. Since some information may have been updated since the time of printing, please check with your GM dealer for complete details. Some of the equipment shown or described throughout this publication may be available at extra cost, and/or is supplied by an independent supplier.

Copyright 2018 General Motors. All rights reserved. All text, images, graphics, and other materials in this publication are subject to the copyright and other intellectual property rights of General Motors. These materials may not be reproduced, distributed, or modified without the express written permission of General Motors. The marks appearing in this publication including, but not limited to: GM and the GM logo; Chevrolet and their respective logos, emblems, slogans, and vehicle model names and body designs; and other marks such as GM Fleet and Commercial are trademarks and/or service marks of General Motors, its subsidiaries, affiliates, or licensors.

For more detailed information, contact your District Sales Manager or see the online order guide at gmfleet.com.

For more information, visit gmfleet.com/police

GENERAL MOTORS FLEET

Copyright 2018 General Motors. All rights reserved. Chevrolet and the Chevrolet Emblem are registered trademarks of General Motors LLC.